NRA - South West 394

1122

SOUTH WESTERN TECHNICAL DEPARTMENT
Water Quality Technical Series GQA2

1993 General Quality Assessment (GQA) Cornwall Area

September 1994

Compiled by : A Gurney
Technical Assistant
(Quality Assessment)

NRA
National Rivers Authority
South Western Region

SOUTH WESTERN TECHNICAL DEPARTMENT

WATER QUALITY TECHNICAL SERIES GQA2

1993 GENERAL QUALITY ASSESSMENT (GQA) CORNWALL AREA

Notes on interpretation of 1993 GQA classification schedule:

1) Data used for classification

The 1993 GQA classification has been assessed using sample results collected between 1 January 1991 and 31 December 1993. Every year a site is chosen to represent the water quality of each stretch. The annual sample results collected at these sites are then combined to produce a data set for each stretch, which is used for GQA classification. Stretches with the same 1993 site may therefore not have the same "1993" GQA classification, as the data sets for these stretches may contain samples from different sites for 1991 and/or 1992.

NB all routine data are used in the analysis.

2) GQA grade limits

The GQA chemical grade is defined by standards for the concentration of BOD, ammonia and dissolved oxygen as summarised in Table 1. The overall class for each stretch is determined by the lowest class of the three parameters.

The classification schedule shows percentile figures for BOD and ammonia rounded to two decimal places (whereas the assignment of grades is based on more than two decimal places). If a percentile shown in the classification schedule is on the grade limit it may therefore be assigned to either the higher or lower band depending on the value before rounding:

eg a total ammonia 90 percentile shown in the schedule as 0.25 mg/l N could have a true value between 0.245 mg/l N and 0.255 mg/l N, so may be assigned to class A (if <= 0.25 mg/l before rounding) or class B (if > 0.25 mg/l before rounding).

3) Unclassified reservoir

Roadford and Stithians Reservoirs were not classified in 1993 although samples were taken for non GQA purposes over the 1993 classification period; they are included in the classification schedule for completeness. Roadford Reservoir will be included in the GQA network from 1994. There are currently no plans to include Stithians Reservoir in the GQA network.

ADRIAN GURNEY, 22 September 1994

TABLE 1 : GQA CHEMICAL GRADING FOR RIVERS AND CANALS

Water Quality	Grade	Quality Criteria
Good	A	Dissolved oxygen % saturation >= 80% BOD (ATU) <= 2.5 mg/l O Total ammonia <= 0.25 mg/l N
	B	Dissolved oxygen % saturation >= 70% BOD (ATU) <= 4 mg/l O Total ammonia <= 0.6 mg/l N
Fair	C	Dissolved oxygen % saturation >= 60% BOD (ATU) <= 6 mg/l O Total ammonia <= 1.3 mg/l N
	D	Dissolved oxygen % saturation >= 50% BOD (ATU) <= 8 mg/l O Total ammonia <= 2.5 mg/l N
Poor	E	Dissolved oxygen % saturation >= 20% BOD (ATU) <= 15 mg/l O Total ammonia <= 9 mg/l N
Bad	F	Dissolved oxygen % saturation < 20% BOD (ATU) > 15 mg/l O Total ammonia > 9 mg/l N

STATISTICS USED BY NATIONAL RIVERS AUTHORITY

Determinand	Statistic	Distribution
Dissolved oxygen	10 percentile	Normal
BOD (ATU)	90 percentile	Log-normal
Total ammonia	90 percentile	Log-normal

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
YEALM	HELE CROSS	R10B022	SX 6147 6088	35	91.0	A	35	1.27	A	35	0.02	A	A
YEALM	FARDEL MILL FARM BRIDGE	R10B002	SX 6025 5720	38	91.4	A	37	1.59	A	38	0.04	A	A
YEALM	BELOW R. PIALL AT MARK'S BRIDGE	R10B024	SX 6019 5702	37	90.5	A	37	1.48	A	37	0.07	A	A
YEALM	LEE MILL BRIDGE	R10B003	SX 5997 5575	36	89.4	A	36	2.53	B	36	0.05	A	B
YEALM	POPPLE'S BRIDGE	R10B021	SX 5985 5432	36	87.8	A	36	3.33	B	36	0.07	A	B
YEALM	YEALM BRIDGE	R10B004	SX 5902 5199	36	91.7	A	36	2.12	A	36	0.06	A	A
YEALM	PUSLINCH BRIDGE	R10B005	SX 5710 5100	36	87.1	A	36	2.15	A	36	0.10	A	A
YEALM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R10B005	SX 5710 5100	36	87.1	A	36	2.15	A	36	0.10	A	A
NEWTON STREAM	BELOW NEWTON FERRERS STW	WSTW4700B	SX 5655 4837	36	89.4	A	36	2.07	A	36	0.25	A	A
NEWTON STREAM	AT BRIDGEEND	WSTW4700B	SX 5655 4837	36	89.4	A	36	2.07	A	36	0.25	A	A
NEWTON STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	WSTW4700B	SX 5655 4837	36	89.4	A	36	2.07	A	36	0.25	A	A
SILVERBRIDGE LAKE	SPARKWELL	R10B018	SX 5610 5201	35	89.7	A	36	2.53	B	35	0.06	A	B
SILVERBRIDGE LAKE	CHOKEFORD	R10B018	SX 5610 5201	35	89.7	A	36	2.53	B	35	0.06	A	B
SILVERBRIDGE LAKE	GORLOFEN	R10B018	SX 5610 5201	35	89.7	A	36	2.53	B	35	0.06	A	B
SILVERBRIDGE LAKE	BRIXTON	R10B018	SX 5610 5201	35	89.7	A	36	2.53	B	35	0.06	A	B
SILVERBRIDGE LAKE	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R10B018	SX 5610 5201	35	89.7	A	36	2.53	B	35	0.06	A	B
LONG BROOK	YEALM BRIDGE	R10B014	SX 5936 5212	42	90.4	A	44	2.18	A	44	0.10	A	A
LONG BROOK	YEALM CONFLUENCE (INFERRED STRETCH)	R10B014	SX 5936 5212	42	90.4	A	44	2.18	A	44	0.10	A	A
PIALL	QUICK BRIDGE	R10B007	SX 5910 6080	36	90.6	A	36	1.50	A	36	0.09	A	A
PIALL	MARK'S BRIDGE	R10B008	SX 6013 5716	36	91.5	A	36	1.75	A	36	0.09	A	A
PIALL	YEALM CONFLUENCE (INFERRED STRETCH)	R10B008	SX 6013 5716	36	91.5	A	36	1.75	A	36	0.09	A	A
CHOLWICHTOWN STREAM	PRIOR TO RIVER PIALL	R10B006	SX 5915 6088	35	90.6	A	36	1.35	A	36	0.07	A	A
CHOLWICHTOWN STREAM	PIALL CONFLUENCE (INFERRED STRETCH)	R10B006	SX 5915 6088	35	90.6	A	36	1.35	A	36	0.07	A	A
WEMBURY STREAM	PRIOR TO BEACH	R10A001	SX 5175 4852	35	88.9	A	35	2.01	A	35	0.11	A	A
WEMBURY STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R10A001	SX 5175 4852	35	88.9	A	35	2.01	A	35	0.11	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
PLYM	ABOVE BLACKABROOK	R11B001	SX 5648 6446	35	90.7	A	35	1.54	A	35	0.02	A	A
PLYM	BELOW BLACKABROOK	R11B002	SX 5639 6450	35	91.3	A	35	1.49	A	35	0.02	A	A
PLYM	CADOVER BRIDGE	R11B003	SX 5556 6465	35	92.7	A	35	1.56	A	35	0.03	A	A
PLYM	SHAUGH BRIDGE (WOODEN)	R11B004	SX 5335 6368	35	91.6	A	35	1.75	A	35	0.03	A	A
PLYM	BICKLEIGH	R11B018	SX 5270 6181	34	91.6	A	34	2.20	A	34	0.04	A	A
PLYM	PLYM BRIDGE	R11B006	SX 5237 5867	77	89.4	A	77	2.10	A	77	0.04	A	A
PLYM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R11B006	SX 5237 5867	77	89.4	A	77	2.10	A	77	0.04	A	A
TORY BROOK	TOLCHMOOR BRIDGE	R11A001	SX 5786 6173	36	87.1	A	36	1.66	A	36	0.35	B	B
TORY BROOK	COLELAND BRIDGE	R11A002	SX 5653 6063	36	89.7	A	36	1.82	A	36	0.14	A	A
TORY BROOK	PORTWORTHY BRIDGE	R11A003	SX 5562 6008	36	89.2	A	36	2.21	A	36	0.17	A	A
TORY BROOK	STATION ROAD PLYMPTON	R11A004	SX 5392 5655	36	90.3	A	36	3.04	B	36	0.07	A	B
TORY BROOK	MARSH MILLS BRIDGE	R11A005	SX 5275 5660	36	91.3	A	36	3.84	B	36	0.11	A	B
TORY BROOK	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R11A005	SX 5275 5660	36	91.3	A	36	3.84	B	36	0.11	A	B
SMALLHANGER BROOK	PRIOR TO RIVER TAVY	R11A020	SX 5505 5740	24	91.4	A	24	2.37	A	24	0.05	A	A
SMALLHANGER BROOK	TAVY CONFLUENCE (INFERRED STRETCH)	R11A020	SX 5505 5740	24	91.4	A	24	2.37	A	24	0.05	A	A
WOTTER BROOK	ABOVE CP 38/6	R11A024	SX 5625 6140	16	88.5	A	16	1.63	A	16	0.15	A	A
WOTTER BROOK	BELOW CP 38/6	R11A025	SX 5630 6108	12	88.8	A	12	1.41	A	12	0.08	A	A
WOTTER BROOK	TORY BROOK CONFLUENCE	R11A025	SX 5630 6108	12	88.8	A	12	1.41	A	12	0.08	A	A
MEAVY	WEIR ABOVE BURRATOR RESERVOIR	R11B008	SX 5669 6925	33	88.4	A	35	1.45	A	35	0.02	A	A
MEAVY	BURRATOR RESERVOIR	R11B039	SX 552 680	35	82.5	A	35	1.94	A	35	0.05	A	A
MEAVY	BELOW BURRATOR RESERVOIR	R11B009	SX 5514 6791	35	87.3	A	35	1.79	A	35	0.05	A	A
MEAVY	GRATTON FORD BRIDGE	R11B010	SX 5295 6704	35	92.8	A	35	2.61	B	35	0.05	A	B
MEAVY	SHAUGH AT CONFLUENCE WITH RIVER PLYM	R11B011	SX 5330 6375	35	90.1	A	35	2.47	A	35	0.06	A	A
MEAVY	PLYM CONFLUENCE (INFERRED STRETCH)	R11B011	SX 5330 6375	35	90.1	A	35	2.47	A	35	0.06	A	A
BLACKA BROOK	AT CONFLUENCE WITH RIVER PLYM	R11B007	SX 5646 6441	34	93.3	A	35	1.57	A	35	0.02	A	A
BLACKA BROOK	PLYM CONFLUENCE (INFERRED STRETCH)	R11B007	SX 5646 6441	34	93.3	A	35	1.57	A	35	0.02	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
TAVY	HILL BRIDGE	R12C001	SX 5321 8040	35	93.0	A	36	1.39	A	36	0.06	A	A
TAVY	HARFORD BRIDGE	R12C002	SX 5057 7678	36	92.0	A	36	1.66	A	36	0.03	A	A
TAVY	KELLY SCHOOL	R12C015	SX 4915 7500	36	91.6	A	36	1.74	A	36	0.05	A	A
TAVY	WEST BRIDGE	R12C003	SX 4768 7378	37	94.5	A	37	3.88	B	37	0.11	A	B
TAVY	D/S CROWNDALE STW	R12C023	SX 4702 7211	35	82.0	A	35	5.76	C	35	1.39	D	D
TAVY	SHILLAMILL ABOVE RIVER LUMBURN	R12C005	SX 4700 7105	36	91.9	A	36	2.52	B	36	0.22	A	B
TAVY	WASH FORD	R12C005	SX 4700 7105	36	91.9	A	36	2.52	B	36	0.22	A	B
TAVY	DENHAM BRIDGE	R12C006	SX 4769 6776	78	88.6	A	78	2.04	A	78	0.08	A	A
TAVY	LOPWELL DAM	R12C007	SX 4750 6502	36	85.8	A	36	2.15	A	36	0.10	A	A
TAVY	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R12C007	SX 4750 6502	36	85.8	A	36	2.15	A	36	0.10	A	A
TAMERTON FOLIOT STREAM	TAMERTON FOLIOT	R12B005	SX 4690 6090	35	73.6	B	35	1.98	A	35	0.10	A	B
TAMERTON FOLIOT STREAM	BELOW MILTON COOMBE	R12B005	SX 4690 6090	35	73.6	B	35	1.98	A	35	0.10	A	B
TAMERTON FOLIOT STREAM	NORMAL TIDAL LIMIT (INFERRED STRECH)	R12B005	SX 4690 6090	35	73.6	B	35	1.98	A	35	0.10	A	B
MILTON BROOK	ABOVE MILTON COMBE	R12B001	SX 4821 6475	36	89.4	A	36	2.10	A	36	0.11	A	A
MILTON BROOK	BELOW MILTON COMBE	R12B001	SX 4821 6475	36	89.4	A	36	2.10	A	36	0.11	A	A
MILTON BROOK	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R12B001	SX 4821 6475	36	89.4	A	36	2.10	A	36	0.11	A	A
WALKHAM	MERRIVALE BRIDGE	R12D001	SX 5500 7510	36	89.9	A	36	1.17	A	36	0.02	A	A
WALKHAM	WARD BRIDGE	R12D002	SX 5421 7203	36	89.0	A	36	1.10	A	36	0.02	A	A
WALKHAM	MAGPIE BRIDGE	R12D003	SX 5038 7035	36	88.3	A	36	1.46	A	36	0.04	A	A
WALKHAM	GRENOFEN BRIDGE	R12D004	SX 4900 7098	36	91.1	A	36	1.79	A	36	0.05	A	A
WALKHAM	TAVY CONFLUENCE (INFERRED STRETCH)	R12D004	SX 4900 7098	36	91.1	A	36	1.79	A	36	0.05	A	A
LUMBURN	RUSHFORD BRIDGE	R12C009	SX 4496 7635	35	92.7	A	36	1.76	A	36	0.06	A	A
LUMBURN	MILLHILL	R12C010	SX 4666 7193	36	91.0	A	36	1.79	A	36	0.07	A	A
LUMBURN	A390 ROAD BRIDGE	R12C010	SX 4666 7193	36	91.0	A	36	1.79	A	36	0.07	A	A
LUMBURN	SHILLAMILL (PRIOR TO R.TAVY)	R12C010	SX 4666 7193	36	91.0	A	36	1.79	A	36	0.07	A	A
LUMBURN	TAVY CONFLUENCE (INFERRED STRETCH)	R12C010	SX 4666 7193	36	91.0	A	36	1.79	A	36	0.07	A	A
WALLABROOK	PRIOR TO RIVER TAVY	R12C011	SX 4928 7545	36	91.9	A	36	1.68	A	36	0.07	A	A
WALLABROOK	TAVY CONFLUENCE (INFERRED STRETCH)	R12C011	SX 4928 7545	36	91.9	A	36	1.68	A	36	0.07	A	A
BURN (TAVY)	PRIOR TO RIVER TAVY	R12C008	SX 4983 7618	36	93.3	A	36	1.66	A	36	0.04	A	A
BURN (TAVY)	TAVY CONFLUENCE (INFERRED STRETCH)	R12C008	SX 4983 7618	36	93.3	A	36	1.66	A	36	0.04	A	A
CHOLWELL BROOK	BROOK TAVY	R12C019	SX 5088 7831	36	93.3	A	36	1.58	A	36	0.04	A	A
CHOLWELL BROOK	TAVY CONFLUENCE (INFERRED STRETCH)	R12C019	SX 5088 7831	36	93.3	A	36	1.58	A	36	0.04	A	A
TAMAR	BUSES BRIDGE	R12L039	SS 281 132	33	81.5	A	35	2.61	B	35	0.88	C	C

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
TAMAR	INTAKE, U. TAMAR RES. (INFERRED STRETCH)	R12L039	SS 281 132	33	81.5	A	35	2.61	B	35	0.88	C	C
TAMAR	UPPER TAMAR RESERVOIR	R12L030	SS 288 118	27	83.7	A	38	3.10	B	38	0.27	B	B
TAMAR	INTAKE, L. TAMAR RES. (UNMON. STRETCH)		SX 5900 5909										
TAMAR	LOWER TAMAR RESERVOIR	R12L024	SS 296 108	30	83.6	A	30	3.77	B	30	0.14	A	B
TAMAR	FOOTBRIDGE BELOW LOWER TAMAR LAKE	R12L009	SS 2956 1070	36	81.0	A	36	3.96	B	36	0.14	A	B
TAMAR	DEXBEER BRIDGE	R12L006	SS 2953 0895	35	82.9	A	35	3.68	B	35	0.16	A	B
TAMAR	MORETON MILL	R12L002	SS 2835 0548	36	83.0	A	36	3.55	B	36	0.21	A	B
TAMAR	TAMARSTONE BRIDGE	R12L002	SS 2835 0548	36	83.0	A	36	3.55	B	36	0.21	A	B
TAMAR	BRIDGERULE	R12L015	SS 2748 0288	35	83.7	A	34	3.61	B	35	0.15	A	B
TAMAR	CROWFORD BRIDGE	R12L003	SX 2873 9944	35	80.7	A	35	3.84	B	35	0.20	A	B
TAMAR	TAMERTON BRIDGE	R12L004	SX 3176 9738	35	82.4	A	35	3.98	B	35	0.21	A	B
TAMAR	BELOW CONFLUENCE WITH RIVER DEER	R12L013	SX 3190 9726	35	79.1	B	35	4.05	C	35	0.20	A	C
TAMAR	BOYTON BRIDGE	R12J001	SX 3284 9228	35	85.2	A	35	3.83	B	35	0.17	A	B
TAMAR	DRUXTON BRIDGE	R12J002	SX 3444 8833	35	87.0	A	35	4.09	C	35	0.26	B	C
TAMAR	NETHERBRIDGE	R12J003	SX 3483 8675	35	88.4	A	35	4.98	C	35	0.27	B	C
TAMAR	POLSON BRIDGE	R12J004	SX 3559 8490	35	86.7	A	35	4.59	C	35	0.34	B	C
TAMAR	GREYSTONE BRIDGE	R12E001	SX 3683 8038	36	87.7	A	36	3.05	B	36	0.14	A	B
TAMAR	HORSEBRIDGE	R12E002	SX 4001 7486	34	90.3	A	34	3.08	B	34	0.12	A	B
TAMAR	GUNNISLAKE BRIDGE	R12E003	SX 4332 7224	77	88.2	A	77	3.19	B	77	0.13	A	B
TAMAR	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R12E003	SX 4332 7224	77	88.2	A	77	3.19	B	77	0.13	A	B
BLANCHDOWN STREAM	PRIOR TO RIVER TAMAR	R12E004	SX 4325 7291	36	87.1	A	36	2.93	B	36	0.29	B	B
BLANCHDOWN STREAM	TAMAR CONFLUENCE (INFERRED STRETCH)	R12E004	SX 4325 7291	36	87.1	A	36	2.93	B	36	0.29	B	B
PORTONTOWN STREAM	GRENOVEN WOOD	R12E034	SX 4143 7373	39	93.0	A	40	1.36	A	40	0.03	A	A
PORTONTOWN STREAM	PRIOR TO RIVER TAMAR	R12E034	SX 4143 7373	39	93.0	A	40	1.36	A	40	0.03	A	A
PORTONTOWN STREAM	TAMAR CONFLUENCE (INFERRED STRETCH)	R12E034	SX 4143 7373	39	93.0	A	40	1.36	A	40	0.03	A	A
LATCHLEY BROOK	LATCHLEY	R12E028	SX 4088 7374	36	90.9	A	36	1.87	A	36	0.05	A	A
LATCHLEY BROOK	TAMAR CONFLUENCE (INFERRED STRETCH)	R12E028	SX 4088 7374	36	90.9	A	36	1.87	A	36	0.05	A	A
LUCKETT	OLDMILL	R12E016	SX 3700 7385	36	90.9	A	36	2.04	A	36	0.15	A	A
LUCKETT	LUCKETT BRIDGE	R12E007	SX 3888 7368	36	92.6	A	36	2.12	A	36	0.09	A	A
LUCKETT	TAMAR CONFLUENCE (INFERRED STRETCH)	R12E007	SX 3888 7368	36	92.6	A	36	2.12	A	36	0.09	A	A
DAMEREL STREAM	PRIOR TO RIVER TAMAR	R12E014	SX 3989 7549	36	91.9	A	36	2.05	A	36	0.12	A	A
DAMEREL STREAM	TAMAR CONFLUENCE (INFERRED STRETCH)	R12E014	SX 3989 7549	36	91.9	A	36	2.05	A	36	0.12	A	A
INNY	UPSTREAM OF DAVIDSTOW CREAMERY	R12P001	SX 1533 8702	35	83.9	A	35	3.58	B	35	0.29	B	B
INNY	TREWINNOW BRIDGE	R12P002	SX 1701 8650	35	85.0	A	35	3.45	B	35	0.18	A	B

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
INNY	ST. CLETHER BRIDGE	R12P003	SX 2061 8418	36	89.3	A	36	2.40	A	36	0.09	A	A
INNY	GIMBLETT'S MILL	R12P012	SX 2419 8339	35	88.5	A	35	2.01	A	35	0.06	A	A
INNY	TWO BRIDGES	R12P004	SX 2706 8175	35	88.9	A	35	2.02	A	35	0.07	A	A
INNY	TREKELLAND BRIDGE	R12P005	SX 3002 7987	35	87.9	A	35	2.25	A	35	0.06	A	A
INNY	TRECARRELL BRIDGE	R12P013	SX 3202 7713	35	90.1	A	35	2.19	A	35	0.06	A	A
INNY	BEALS MILL BRIDGE	R12P006	SX 3588 7706	34	88.5	A	34	2.22	A	34	0.07	A	A
INNY	TAMAR CONFLUENCE (INFERRED STRETCH)	R12P006	SX 3588 7706	34	88.5	A	34	2.22	A	34	0.07	A	A
PENPONT WATER	TRELYN BRIDGE	R12P010	SX 2002 8286	35	86.2	A	35	1.59	A	35	0.04	A	A
PENPONT WATER	ALTARNUN BRIDGE	R12P007	SX 2233 8130	36	89.9	A	36	1.82	A	36	0.05	A	A
PENPONT WATER	TWO BRIDGES	R12P008	SX 2695 8165	35	88.6	A	35	1.91	A	35	0.06	A	A
PENPONT WATER	INNY CONFLUENCE (INFERRED STRETCH)	R12P008	SX 2695 8165	35	88.6	A	35	1.91	A	35	0.06	A	A
LOWLEY BROOK	LANDLAKE BRIDGE	R12E005	SX 3287 8235	36	86.4	A	36	2.20	A	36	0.28	B	B
LOWLEY BROOK	LANDUE BRIDGE	R12E017	SX 3473 7970	36	85.0	A	36	2.46	A	36	0.18	A	A
LOWLEY BROOK	LOWLEY BRIDGE	R12E006	SX 3593 7873	36	84.8	A	37	2.45	A	37	0.15	A	A
LOWLEY BROOK	TAMAR CONFLUENCE (INFERRED STRETCH)	R12E006	SX 3593 7873	36	84.8	A	37	2.45	A	37	0.15	A	A
LYD	A386 ROADBRIDGE LYDFORD	R12F012	SX 5205 8446	36	93.5	A	36	1.32	A	36	0.02	A	A
LYD	GREENLANES BRIDGE	R12F001	SX 4436 8325	36	90.0	A	36	2.68	B	36	0.19	A	B
LYD	SYDENHAM BRIDGE	R12F011	SX 4288 8388	36	90.4	A	36	1.59	A	36	0.05	A	A
LYD	LIFTON BRIDGE	R12F002	SX 3892 8480	36	91.7	A	36	2.15	A	36	0.12	A	A
LYD	TAMAR CONFLUENCE (INFERRED STRETCH)	R12F002	SX 3892 8480	36	91.7	A	36	2.15	A	36	0.12	A	A
THRUSHEL	RIVERMEAD BRIDGE	R12G001	SX 4988 9128	36	85.7	A	36	2.85	B	36	0.25	A	B
THRUSHEL	WRIXHILL BRIDGE	R12G002	SX 4656 8988	37	88.2	A	37	3.42	B	36	0.23	A	B
THRUSHEL	STOWFORD BRIDGE	R12G003	SX 4280 8735	36	88.7	A	36	4.10	C	36	0.34	B	C
THRUSHEL	TINHAY BRIDGE	R12G004	SX 3938 8538	36	91.8	A	36	3.18	B	36	0.21	A	B
THRUSHEL	LYD CONFLUENCE (INFERRED STRETCH)	R12G004	SX 3938 8538	36	91.8	A	36	3.18	B	36	0.21	A	B
WOLF	WEEK'S MILL BRIDGE	R12G005	SX 4461 9423	36	88.8	A	36	2.55	B	36	0.28	B	B
WOLF	ROADFORD RESERVOIR INFLOW (INFERRED)	R12G005	SX 4461 9423	36	88.8	A	36	2.55	B	36	0.28	B	B
WOLF	ROADFORD RESERVOIR		SX 5900 5909										
WOLF	ROADFORD NEW BRIDGE	R12G084	SX 4189 8981	36	90.1	A	37	1.68	A	37	0.12	A	A
WOLF	REXON BRIDGE	R12G006	SX 4133 8885	36	90.8	A	36	1.76	A	36	0.07	A	A
WOLF	PRIOR TO RIVER THRUSHEL	R12G007	SX 4031 8629	36	91.1	A	36	3.20	B	36	0.14	A	B
WOLF	THRUSHEL CONFLUENCE (INFERRED STRETCH)	R12G007	SX 4031 8629	36	91.1	A	36	3.20	B	36	0.14	A	B
BROADWOOD BROOK	KELLACOTT BRIDGE	R12G012	SX 4066 8799	36	85.5	A	36	4.66	C	36	0.36	B	C
BROADWOOD BROOK	WOLF CONFLUENCE (INFERRED STRETCH)	R12G012	SX 4066 8799	36	85.5	A	36	4.66	C	36	0.36	B	C

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
HENNARD STREAM	PRIOR TO ROADFORD	R12G108	SX 425 934	31	87.8	A	31	1.98	A	31	0.05	A	A
HENNARD STREAM	ROADFORD RES. CONFLUENCE (INFERRED STRET	R12G108	SX 425 934	31	87.8	A	31	1.98	A	31	0.05	A	A
BREAZLE WATER	PRIOR TO RIVER THRUSHEL	R12G010	SX 4476 8917	36	83.6	A	36	4.77	C	36	0.24	A	C
BREAZLE WATER	THRUSHEL CONFLUENCE (INFERRED STRETCH)	R12G010	SX 4476 8917	36	83.6	A	36	4.77	C	36	0.24	A	C
BRATTON BROOK	BRATTON CLOVELLY	R12G009	SX 4676 9202	36	89.0	A	36	2.70	B	36	0.15	A	B
BRATTON BROOK	THRUSHEL CONFLUENCE (INFERRED STRETCH)	R12G009	SX 4676 9202	36	89.0	A	36	2.70	B	36	0.15	A	B
QUITHER BROOK	PRIOR TO RIVER LYD	R12F013	SX 4265 8398	36	91.6	A	36	1.67	A	36	0.04	A	A
QUITHER BROOK	LYD CONFLUENCE (INFERRED STRETCH)	R12F013	SX 4265 8398	36	91.6	A	36	1.67	A	36	0.04	A	A
LEW (TAMAR)	COMBEBOW BRIDGE	R12F003	SX 4853 8793	36	91.4	A	36	1.79	A	36	0.09	A	A
LEW (TAMAR)	PRIOR TO RIVER LYD	R12F004	SX 4410 8340	36	91.0	A	36	1.83	A	36	0.08	A	A
LEW (TAMAR)	LYD CONFLUENCE (INFERRED STRETCH)	R12F004	SX 4410 8340	36	91.0	A	36	1.83	A	36	0.08	A	A
COMBEBOW STREAM	ROAD CULVERT NR QUARRY	R12F010	SX 4881 8798	36	89.0	A	36	1.45	A	36	0.07	A	A
COMBEBOW STREAM	LEW CONFLUENCE (INFERRED STRETCH)	R12F010	SX 4881 8798	36	89.0	A	36	1.45	A	36	0.07	A	A
KENSEY	BADGALL BRIDGE	R12N003	SX 2317 8692	36	88.8	A	36	1.81	A	36	0.10	A	A
KENSEY	BADHARLICK BRIDGE	R12N001	SX 2675 8643	36	86.3	A	36	2.15	A	36	0.17	A	A
KENSEY	TRUSCOTT BRIDGE	R12N004	SX 2987 8499	36	86.8	A	37	2.93	B	37	0.28	B	B
KENSEY	NEWPORT	R12N005	SX 3270 8511	36	88.2	A	36	2.33	A	36	0.16	A	A
KENSEY	ST. LEONARDS BRIDGE	R12N002	SX 3517 8478	36	86.6	A	36	2.48	A	36	0.15	A	A
KENSEY	TAMAR CONFLUENCE (INFERRED STRETCH)	R12N002	SX 3517 8478	36	86.6	A	36	2.48	A	36	0.15	A	A
TREGEARE STREAM	RED DOWN BRIDGE	R12N006	SX 2671 8628	35	84.3	A	36	1.89	A	36	0.16	A	A
TREGEARE STREAM	KENSEY CONFLUENCE (INFERRED STRETCH)	R12N006	SX 2671 8628	35	84.3	A	36	1.89	A	36	0.16	A	A
CAREY	HALWILL BRIDGE - QUODITCH	R12H006	SX 4202 9846	35	84.8	A	36	2.55	B	36	0.14	A	B
CAREY	ASHMILL BRIDGE	R12H001	SX 3935 9534	35	87.4	A	36	3.11	B	36	0.16	A	B
CAREY	MIDDLE BRIDGE VIRGINSTOW	R12H007	SX 3710 9263	35	85.0	A	36	3.62	B	36	0.20	A	B
CAREY	TOWERHILL BRIDGE	R12H008	SX 3642 8828	35	86.2	A	35	3.95	B	35	0.21	A	B
CAREY	BOLDFORD BRIDGE	R12H008	SX 3642 8828	35	86.2	A	35	3.95	B	35	0.21	A	B
CAREY	HEALE BRIDGE	R12H002	SX 3600 8631	35	86.3	A	35	3.60	B	35	0.20	A	B
CAREY	TAMAR CONFLUENCE (INFERRED STRETCH)	R12H002	SX 3600 8631	35	86.3	A	35	3.60	B	35	0.20	A	B
HENFORD WATER	HENFORD	R12H005	SX 3735 9472	35	87.6	A	36	2.62	B	36	0.09	A	B
HENFORD WATER	CAREY CONFLUENCE (INFERRED STRETCH)	R12H005	SX 3735 9472	35	87.6	A	36	2.62	B	36	0.09	A	B
OTTERY	OTTERHAM MILL	R12M004	SX 1745 9095	35	88.1	A	35	3.38	B	35	0.26	B	B

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
OTTERY	TRENGUNE BRIDGE	R12M005	SX 1889 9328	36	87.6	A	36	2.62	B	36	0.15	A	B
OTTERY	CANWORTHY WATER BRIDGE	R12M001	SX 2240 9173	34	88.0	A	35	2.64	B	35	0.14	A	B
OTTERY	HELLESCOTT BRIDGE	R12M002	SX 2855 8777	35	86.5	A	36	2.87	B	36	0.14	A	B
OTTERY	YEOLMBRIDGE	R12M006	SX 3182 8738	36	85.4	A	36	3.40	B	36	0.15	A	B
OTTERY	HAM MILL BRIDGE	R12M007	SX 3445 8682	35	85.8	A	35	3.45	B	35	0.15	A	B
OTTERY	TAMAR CONFLUENCE (INFERRED STRETCH)	R12M007	SX 3445 8682	35	85.8	A	35	3.45	B	35	0.15	A	B
BOLESBRIDGE WATER	200 METRES D/S OF NAVARINO BRIDGE	R12M012	SX 2895 8920	37	77.9	B	38	4.15	C	38	0.52	B	C
BOLESBRIDGE WATER	OTTERY CONFLUENCE (INFERRED STRETCH)	R12M012	SX 2895 8920	37	77.9	B	38	4.15	C	38	0.52	B	C
CAUDWORTHY WATER	CAUDWORTHY BRIDGE	R12M010	SX 2470 9263	37	82.3	A	38	3.01	B	38	0.18	A	B
CAUDWORTHY WATER	PRIOR TO RIVER OTTERY	R12M011	SX 2676 8887	36	82.7	A	36	3.20	B	36	0.22	A	B
CAUDWORTHY WATER	OTTERY CONFLUENCE (INFERRED STRETCH)	R12M011	SX 2676 8887	36	82.7	A	36	3.20	B	36	0.22	A	B
CANWORTHY WATER	PRIOR TO RIVER OTTERY	R12M008	SX 2240 9147	35	87.8	A	35	2.33	A	35	0.19	A	A
CANWORTHY WATER	OTTERY CONFLUENCE (INFERRED STRETCH)	R12M008	SX 2240 9147	35	87.8	A	35	2.33	A	35	0.19	A	A
TALA WATER	BRIDGETOWN	R12J006	SX 3418 8913	35	78.8	B	35	2.08	A	35	0.17	A	B
TALA WATER	TAMAR CONFLUENCE (INFERRED STRETCH)	R12J006	SX 3418 8913	35	78.8	B	35	2.08	A	35	0.17	A	B
LANA LAKE	LANA BRIDGE	R12J005	SX 3407 9591	35	82.4	A	35	3.30	B	35	0.28	B	B
LANA LAKE	TAMAR CONFLUENCE (INFERRED STRETCH)	R12J005	SX 3407 9591	35	82.4	A	35	3.30	B	35	0.28	B	B
CLAW	CLAW BRIDGE	R12K016	SS 3746 0071	33	85.1	A	33	2.70	B	33	0.21	A	B
CLAW	CLAWTON BRIDGE	R12K001	SX 3533 9932	33	89.7	A	33	3.32	B	33	0.21	A	B
CLAW	TETCOTT BRIDGE	R12K002	SX 3267 9692	33	83.7	A	33	3.03	B	33	0.21	A	B
CLAW	TAMAR CONFLUENCE (INFERRED STRETCH)	R12K002	SX 3267 9692	33	83.7	A	33	3.03	B	33	0.21	A	B
DEER	RYDON BRIDGE	R12K003	SS 3356 0415	33	85.6	A	33	2.97	B	33	0.20	A	B
DEER	WINSCOTT BRIDGE	R12K004	SS 3386 0142	33	83.6	A	33	3.24	B	33	0.16	A	B
DEER	DEER BRIDGE	R12K005	SX 3195 9741	33	84.9	A	33	3.82	B	33	0.18	A	B
DEER	TAMAR CONFLUENCE (INFERRED STRETCH)	R12K005	SX 3195 9741	33	84.9	A	33	3.82	B	33	0.18	A	B
COLESMILL STREAM	100 METRES D/S OF HOLSWORTHY STW	R12K007	SS 3387 0317	33	82.2	A	33	4.15	C	33	0.48	B	C
COLESMILL STREAM	DEER CONFLUENCE (INFERRED STRETCH)	R12K007	SS 3387 0317	33	82.2	A	33	4.15	C	33	0.48	B	C
DERRIL WATER	DUX BRIDGE	R12L005	SS 3013 0058	36	78.6	B	36	3.97	B	36	0.26	B	B
DERRIL WATER	DUALSTONE BRIDGE	R12L005	SS 3013 0058	36	78.6	B	36	3.97	B	36	0.26	B	B
DERRIL WATER	TAMAR CONFLUENCE (INFERRED STRETCH)	R12L005	SS 3013 0058	36	78.6	B	36	3.97	B	36	0.26	B	B
SMALL BROOK (TAMAR)	HEADON BRIDGE	R12L011	SS 3100 0731	35	81.7	A	35	1.86	A	35	0.13	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
SMALL BROOK (TAMAR)	YOULDON BRIDGE	R12L008	SS 2995 0528	34	81.5	A	35	2.97	B	35	0.34	B	B
SMALL BROOK (TAMAR)	TAMAR CONFLUENCE (INFERRED STRETCH)	R12L008	SS 2995 0528	34	81.5	A	35	2.97	B	35	0.34	B	B
LAMBERAL WATER	FORDA	R12L010	SS 2771 1119	35	89.4	A	35	1.97	A	35	0.14	A	A
LAMBERAL WATER	MORETON POUND BRIDGE	R12L007	SS 2758 0893	35	87.0	A	35	2.18	A	35	0.17	A	A
LAMBERAL WATER	TAMAR CONFLUENCE (INFERRED STRETCH)	R12L007	SS 2758 0893	35	87.0	A	35	2.18	A	35	0.17	A	A
LYNHER	TREBARTHA ROAD BRIDGE	R12Q001	SX 2603 7778	33	88.1	A	34	1.47	A	34	0.04	A	A
LYNHER	BERRIOWBRIDGE	R12Q002	SX 2733 7564	34	93.6	A	33	1.80	A	34	0.03	A	A
LYNHER	RILLA MILL BRIDGE	R12Q003	SX 2948 7311	34	91.3	A	34	1.58	A	34	0.07	A	A
LYNHER	BICTON MILL BRIDGE	R12Q004	SX 3215 7005	34	91.0	A	34	1.64	A	34	0.06	A	A
LYNHER	NEWBRIDGE	R12Q005	SX 3473 6801	34	89.7	A	34	1.55	A	34	0.25	B	B
LYNHER	CLAPPER BRIDGE	R12Q025	SX 3515 6526	34	90.0	A	34	2.57	B	34	0.09	A	B
LYNHER	PILLATON BRIDGE	R12Q006	SX 3650 6324	34	90.0	A	34	1.77	A	34	0.08	A	A
LYNHER	NOTTER BRIDGE	R12Q007	SX 3850 6090	76	88.9	A	76	1.88	A	76	0.11	A	A
LYNHER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R12Q007	SX 3850 6090	76	88.9	A	76	1.88	A	76	0.11	A	A
DEAN'S BROOK	BRIDGE	R12Q029	SX 3825 6224	34	87.0	A	34	2.28	A	34	0.09	A	A
DEAN'S BROOK	LYNHER CONFLUENCE (INFERRED STRETCH)	R12Q029	SX 3825 6224	34	87.0	A	34	2.28	A	34	0.09	A	A
KELLY BROOK	HAYE	R12Q026	SX 3470 6991	34	89.7	A	34	1.55	A	34	0.05	A	A
KELLY BROOK	CADDAPIT	R12Q009	SX 3400 6888	37	79.6	B	37	3.30	B	37	4.38	E	E
KELLY BROOK	LYNHER CONFLUENCE (INFERRED STRETCH)	R12Q009	SX 3400 6888	37	79.6	B	37	3.30	B	37	4.38	E	E
MARKE VALLEY STREAM	UPTON CROSS	R12Q027	SX 2870 7195	34	90.2	A	34	1.40	A	34	0.03	A	A
MARKE VALLEY STREAM	LYNHER CONFLUENCE (INFERRED STRETCH)	R12Q027	SX 2870 7195	34	90.2	A	34	1.40	A	34	0.03	A	A
WITHEY BROOK	UPSTREAM OF BASTREET INTAKE	R12Q010	SX 2435 7637	34	87.6	A	33	1.43	A	34	0.02	A	A
WITHEY BROOK	PRIOR TO RIVER LYNHER	R12Q008	SX 2610 7723	35	92.8	A	35	1.82	A	35	0.03	A	A
WITHEY BROOK	LYNHER CONFLUENCE (INFERRED STRETCH)	R12Q008	SX 2610 7723	35	92.8	A	35	1.82	A	35	0.03	A	A
TIDDY	ABOVE PENSILVA S T W	R12R001	SX 2900 6890	34	90.3	A	34	3.37	B	34	0.31	B	B
TIDDY	BUTTERDON MILL	R12R002	SX 2944 6617	34	89.8	A	34	3.21	B	34	0.19	A	B
TIDDY	TREHUNSEY BRIDGE	R12R003	SX 3288 6188	34	90.0	A	34	3.45	B	34	0.13	A	B
TIDDY	TILLAND MILL BRIDGE	R12R003	SX 3288 6188	34	90.0	A	34	3.45	B	34	0.13	A	B
TIDDY	TIDEFORD BRIDGE	R12R004	SX 3443 5960	34	90.3	A	34	3.06	B	34	0.15	A	B
TIDDY	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R12R004	SX 3443 5960	34	90.3	A	34	3.06	B	34	0.15	A	B
TRECORME STREAM	TILLAND BRIDGE	R12R006	SX 3315 6196	34	90.5	A	34	4.66	C	34	0.23	A	C
TRECORME STREAM	TIDDY CONFLUENCE (INFERRED STRETCH)	R12R006	SX 3315 6196	34	90.5	A	34	4.66	C	34	0.23	A	C

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
SEATON	CROW'S NEST	R13A001	SX 2641 6938	35	92.2	A	35	1.26	A	35	0.03	A	A
SEATON	HENDRA BRIDGE	R13A002	SX 2657 6563	34	91.1	A	35	2.03	A	35	0.17	A	A
SEATON	ROSELAND	R13A003	SX 2885 6163	35	88.9	A	35	2.00	A	35	0.14	A	A
SEATON	COURTNEY'S MILL BRIDGE	R13A003	SX 2885 6163	35	88.9	A	35	2.00	A	35	0.14	A	A
SEATON	TREBROWNBRIDGE	R13A004	SX 3073 5736	36	89.5	A	36	2.29	A	36	0.09	A	A
SEATON	HESSENFORD	R13A004	SX 3073 5736	36	89.5	A	36	2.29	A	36	0.09	A	A
SEATON	SEATON BEACH	R13A005	SX 3033 5450	34	86.5	A	35	2.42	A	35	0.08	A	A
SEATON	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R13A005	SX 3033 5450	34	86.5	A	35	2.42	A	35	0.08	A	A
MENHENIOT STREAM	AT FACTORY	R13A009	SX 2843 6207	34	88.8	A	35	2.34	A	35	0.14	A	A
MENHENIOT STREAM	SEATON CONFLUENCE (INFERRED STRETCH)	R13A009	SX 2843 6207	34	88.8	A	35	2.34	A	35	0.14	A	A
TREMAR STREAM	ROSECRADDOC	R13A008	SX 2646 6760	34	88.2	A	35	3.34	B	35	0.39	B	B
TREMAR STREAM	SEATON CONFLUENCE (INFERRED STRETCH)	R13A008	SX 2646 6760	34	88.2	A	35	3.34	B	35	0.39	B	B

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
EAST LOOE RIVER	VENTON VEOR BRIDGE	R14B005	SX 2304 6577	35	86.8	A	35	1.76	A	34	0.03	A	A
EAST LOOE RIVER	LOOE MILLS	R14B001	SX 2323 6456	35	90.1	A	35	1.51	A	35	0.05	A	A
EAST LOOE RIVER	BELOW MOORSWATER	R14B011	SX 2345 6435	37	87.0	A	38	2.44	A	38	0.66	C	C
EAST LOOE RIVER	LAMELLION MILL	R14B002	SX 2388 6359	35	87.4	A	35	1.73	A	35	0.40	B	B
EAST LOOE RIVER	D/S LISKEARD STW	R14B008	SX 2422 6280	35	87.7	A	35	2.53	B	35	0.54	B	B
EAST LOOE RIVER	TRUSSEL BRIDGE	R14B003	SX 2455 6200	35	86.4	A	35	2.68	B	35	0.31	B	B
EAST LOOE RIVER	LANDLOOE BRIDGE	R14B006	SX 2500 5950	35	84.8	A	35	1.96	A	35	0.26	B	B
EAST LOOE RIVER	RAILWAY HALT SANDPLACE	R14B004	SX 2483 5715	35	85.9	A	35	2.09	A	35	0.16	A	A
EAST LOOE RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R14B004	SX 2483 5715	35	85.9	A	35	2.09	A	35	0.16	A	A
DOBWALLS STREAM	TUELMENNA BRIDGE	R14B007	SX 2265 6504	34	83.6	A	35	1.47	A	35	0.11	A	A
DOBWALLS STREAM	EAST LOOE CONFLUENCE (INFERRED STRETCH)	R14B007	SX 2265 6504	34	83.6	A	35	1.47	A	35	0.11	A	A
WEST LOOE RIVER	BOSENT BRIDGE	R14C010	SX 2128 6346	35	88.5	A	35	1.68	A	35	0.14	A	A
WEST LOOE RIVER	SCAWN MILL BRIDGE	R14C001	SX 2158 6213	35	89.0	A	35	2.09	A	35	0.15	A	A
WEST LOOE RIVER	CHURCHBRIDGE	R14C002	SX 2193 5858	34	90.5	A	35	1.93	A	35	0.10	A	A
WEST LOOE RIVER	SOWDEN'S BRIDGE	R14C003	SX 2302 5556	35	89.3	A	35	2.59	B	35	0.12	A	B
WEST LOOE RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R14C003	SX 2302 5556	35	89.3	A	35	2.59	B	35	0.12	A	B
COLDRINNICK STREAM	TREGARRICK MILL BRIDGE	R14C011	SX 2058 5713	35	85.3	A	35	1.90	A	35	0.14	A	A
COLDRINNICK STREAM	WEST LOOE CONFLUENCE (INFERRED STRETCH)	R14C011	SX 2058 5713	35	85.3	A	35	1.90	A	35	0.14	A	A
CONNON STREAM	ABOVE WASTE DISPOSAL SITE	R14C005	SX 1897 6250	35	90.5	A	34	1.88	A	35	0.10	A	A
CONNON STREAM	BELOW CONNON BRIDGE LANDFILL SITE	R14C013	SX 1910 6245	37	89.5	A	36	2.84	B	37	1.26	C	C
CONNON STREAM	TREVILLIS WOOD	R14C006	SX 1962 6178	35	89.6	A	34	2.85	B	35	1.05	C	C
CONNON STREAM	HERODSFOOT BRIDGE	R14C008	SX 2140 6042	35	88.0	A	35	2.27	A	35	0.35	B	B
CONNON STREAM	WEST LOOE CONFLUENCE (INFERRED STRETCH)	R14C008	SX 2140 6042	35	88.0	A	35	2.27	A	35	0.35	B	B
POLPERRO RIVER	POLPERRO	R14A001	SX 2078 5096	35	90.8	A	35	3.05	B	35	0.10	A	B
POLPERRO RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R14A001	SX 2078 5096	35	90.8	A	35	3.05	B	35	0.10	A	B

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
FOWEY	HARROWBRIDGE	R15B001	SX 2065 7442	36	88.7	A	36	1.20	A	36	0.02	A	A
FOWEY	LAMELGATE	R15B024	SX 2230 7084	37	86.3	A	37	1.23	A	37	0.03	A	A
FOWEY	DRAYNES BRIDGE	R15B002	SX 2281 6893	36	88.0	A	36	1.53	A	36	0.03	A	A
FOWEY	TREVERBYN BRIDGE	R15B003	SX 2063 6748	36	92.9	A	36	1.64	A	36	0.03	A	A
FOWEY	BODITHIEL BRIDGE	R15B004	SX 1763 6486	36	90.6	A	36	1.80	A	36	0.04	A	A
FOWEY	BODMIN ROAD BRIDGE	R15B025	SX 0994 6353	78	89.8	A	78	2.07	A	78	0.05	A	A
FOWEY	RESPRYN BRIDGE	R15B025	SX 0994 6353	78	89.8	A	78	2.07	A	78	0.05	A	A
FOWEY	RESTORMEL	R15B006	SX 1080 6130	36	89.3	A	36	2.29	A	36	0.04	A	A
FOWEY	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R15B006	SX 1080 6130	36	89.3	A	36	2.29	A	36	0.04	A	A
PONT PILL	TRETHAKE MILL	R15A003	SX 1555 5310	34	89.9	A	34	1.80	A	34	0.07	A	A
PONT PILL	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R15A003	SX 1555 5310	34	89.9	A	34	1.80	A	34	0.07	A	A
TREBANT WATER	EAST TENCREEK	R15A002	SX 1510 5546	34	86.9	A	34	2.10	A	34	0.10	A	A
TREBANT WATER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R15A002	SX 1510 5546	34	86.9	A	34	2.10	A	34	0.10	A	A
LERRYN RIVER	COUCH'S MILL	R15A004	SX 1433 5733	42	88.3	A	43	2.08	A	43	0.13	A	A
LERRYN RIVER	LERRYN	R15A004	SX 1433 5733	42	88.3	A	43	2.08	A	43	0.13	A	A
LERRYN RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R15A004	SX 1433 5733	42	88.3	A	43	2.08	A	43	0.13	A	A
BEDELLVA STREAM	BOCONNOC	R15A007	SX 1557 6040	24	87.9	A	24	2.59	B	24	0.45	B	B
BEDELLVA STREAM	LERRYN R. CONFLUENCE (INFERRED STRETCH)	R15A007	SX 1557 6040	24	87.9	A	24	2.59	B	24	0.45	B	B
CARDINHAM WATER	MILLTOWN	R15B021	SX 1114 6440	36	88.2	A	36	2.40	A	36	0.03	A	A
CARDINHAM WATER	CALLYWITH	R15B021	SX 1114 6440	36	88.2	A	36	2.40	A	36	0.03	A	A
CARDINHAM WATER	GLYNNMILL	R15B021	SX 1114 6440	36	88.2	A	36	2.40	A	36	0.03	A	A
CARDINHAM WATER	FOWEY CONFLUENCE (INFERRED STRETCH)	R15B021	SX 1114 6440	36	88.2	A	36	2.40	A	36	0.03	A	A
WARLEGGAN RIVER	PANTERS BRIDGE	R15B009	SX 1593 6795	36	90.4	A	36	1.77	A	36	0.06	A	A
WARLEGGAN RIVER	FOWEY CONFLUENCE (INFERRED STRETCH)	R15B009	SX 1593 6795	36	90.4	A	36	1.77	A	36	0.06	A	A
ST. NEOT RIVER	INTAKE,COLLIFORD LAKE (UNMON. STRETCH)		SX 5900 5909										
ST. NEOT RIVER	COLLIFORD LAKE	R15B058	SX 178 712	35	86.2	A	35	1.82	A	35	0.11	A	A
ST. NEOT RIVER	COLLIFORD BRIDGE	R15B014	SX 1808 7075	37	83.0	A	37	1.72	A	37	0.11	A	A
ST. NEOT RIVER	TREVENNA	R15B008	SX 1855 6494	35	91.3	A	36	1.89	A	36	0.07	A	A
ST. NEOT RIVER	TWO WATERS FOOT	R15B008	SX 1855 6494	35	91.3	A	36	1.89	A	36	0.07	A	A
ST. NEOT RIVER	FOWEY CONFLUENCE (INFERRED STRETCH)	R15B008	SX 1855 6494	35	91.3	A	36	1.89	A	36	0.07	A	A
NORTHWOOD BROOK	WORTHA	R15B016	SX 2063 6984	35	90.0	A	36	1.19	A	36	0.04	A	A
NORTHWOOD BROOK	TRENANT BRIDGE	R15B011	SX 2098 6829	36	90.3	A	36	1.18	A	36	0.20	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
NORTHWOOD BROOK	FOWEY CONFLUENCE (INFERRED STRETCH)	R15B011	SX 2098 6829	36	90.3	A	36	1.18	A	36	0.20	A	A
SIBLYBACK STREAM	INTAKE, SIBLYBACK RES. (UNMON. STRETCH)		SX 5900 5909										
SIBLYBACK STREAM	SIBLYBACK RESERVOIR	R15B070	SX 233 704	26	90.8	A	27	2.25	A	27	0.06	A	A
SIBLYBACK STREAM	TREKEIVESTEPS BRIDGE	R15B010	SX 2283 6998	35	88.2	A	36	2.16	A	36	0.06	A	A
SIBLYBACK STREAM	FOWEY CONFLUENCE (INFERRED STRETCH)	R15B010	SX 2283 6998	35	88.2	A	36	2.16	A	36	0.06	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
PAR RIVER	CRIGGAN MOOR	R16A007	SX 0216 6076	35	79.9	B	35	1.42	A	35	0.12	A	B
PAR RIVER	A.391 BRIDGE	R16A001	SX 0229 6070	35	77.8	B	35	1.42	A	35	0.19	A	B
PAR RIVER	HIGHER MENADEW	R16A006	SX 0284 5940	35	77.6	B	35	1.45	A	35	0.17	A	B
PAR RIVER	LAVREAN BRIDGE	R16A002	SX 0320 5916	35	84.8	A	35	1.54	A	35	0.14	A	A
PAR RIVER	LUXULYAN BRIDGE	R16A003	SX 0486 5805	35	82.5	A	35	3.92	B	35	0.87	C	C
PAR RIVER	TREFFRY BRIDGE	R16A004	SX 0575 5688	35	90.6	A	35	1.95	A	35	0.54	B	B
PAR RIVER	U/S PONTS MILL CP 30/8	R16A028	SX 0728 5614	35	91.0	A	35	1.84	A	35	0.23	A	A
PAR RIVER	D/S PONTS MILL CP 30/8	R16A033	SX 0732 5605	35	91.0	A	35	1.83	A	35	0.23	A	A
PAR RIVER	ST. BLAZEY BRIDGE	R16A005	SX 0705 5518	35	91.4	A	35	1.87	A	35	0.22	A	A
PAR RIVER	A3082 BRIDGE	R16A027	SX 0747 5352	35	90.7	A	35	1.91	A	35	0.22	A	A
PAR RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R16A027	SX 0747 5352	35	90.7	A	35	1.91	A	35	0.22	A	A
TYWARDREATH STREAM	DOWNSTREAM OF ELMSLEIGH POND	R16A017	SX 0762 5436	39	75.0	B	39	4.28	C	39	0.19	A	C
TYWARDREATH STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R16A017	SX 0762 5436	39	75.0	B	39	4.28	C	39	0.19	A	C
BOKIDDICK BROOK	LOWERTOWN FARM	R16A014	SX 0538 6103	35	74.4	B	35	1.34	A	35	0.13	A	B
BOKIDDICK BROOK	LUXULYAN	R16A009	SX 0553 5798	35	87.0	A	35	1.80	A	35	0.18	A	A
BOKIDDICK BROOK	PAR CONFLUENCE (INFERRED STRETCH)	R16A009	SX 0553 5798	35	87.0	A	35	1.80	A	35	0.18	A	A
TREVERBYN STREAM	D/S INNIS MOOR MICA DAM	R16A022	SX 0427 5677	35	80.9	A	35	1.83	A	35	0.31	B	B
TREVERBYN STREAM	200M U/S CONFL	R16A013	SX 0453 5802	35	81.4	A	35	2.88	B	35	0.34	B	B
TREVERBYN STREAM	PAR CONFLUENCE (INFERRED STRETCH)	R16A013	SX 0453 5802	35	81.4	A	35	2.88	B	35	0.34	B	B
RESCORLA BROOK	PRIOR TO RIVER PAR	R16A029	SX 0397 5843	24	83.6	A	24	1.44	A	24	0.16	A	A
RESCORLA BROOK	PAR CONFLUENCE (INFERRED STRETCH)	R16A029	SX 0397 5843	24	83.6	A	24	1.44	A	24	0.16	A	A
ROSEVEAN STREAM	PRIOR TO PAR RIVER	R16A012	SX 0340 5870	35	88.5	A	35	2.36	A	35	0.56	B	B
ROSEVEAN STREAM	PAR CONFLUENCE (INFERRED STRETCH)	R16A012	SX 0340 5870	35	88.5	A	35	2.36	A	35	0.56	B	B
ROCK DRYERS STREAM	D/S ROCK DRYERS CP 20/6	R16A025	SX 0292 5862	12	76.2	B	12	2.01	A	12	1.31	D	D
ROCK DRYERS STREAM	ROSEVEAN STREAM CONFL. (INF. STRETCH)	R16A025	SX 0292 5862	12	76.2	B	12	2.01	A	12	1.31	D	D
CARBIS STREAM	ABOVE WHEAL PROSPER MICA DAM	R16A026	SW 9962 5935	41	88.3	A	41	1.56	A	41	0.07	A	A
CARBIS STREAM	D/S WHEAL PROSPER MICA DAM	R16A018	SX 0003 5955	41	88.8	A	41	1.56	A	41	0.08	A	A
CARBIS STREAM	D/S GREAT WHEAL PROSPER CP9	R16A019	SX 0055 5961	35	86.4	A	35	1.62	A	35	0.11	A	A
CARBIS STREAM	ABOVE WHEAL HENRY (C.P.20/9)	R16A032	SX 0260 5936	35	85.9	A	35	1.52	A	35	0.12	A	A
CARBIS STREAM	PRIOR TO PAR RIVER	R16A011	SX 0270 5938	36	86.6	A	36	1.54	A	36	0.13	A	A
CARBIS STREAM	PAR CONFLUENCE (INFERRED STRETCH)	R16A011	SX 0270 5938	36	86.6	A	36	1.54	A	36	0.13	A	A
MOLINNIS STREAM	MOLLINNIS	R16A016	SX 0248 5928	35	90.0	A	35	1.63	A	35	0.17	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
MOLINNIS STREAM	CARBIS STREAM CONFL. (INFERRED STRETCH)	R16A016	SX 0248 5928	35	90.0	A	35	1.63	A	35	0.17	A	A
ROSEVATH STREAM	ROSEVATH	R16A008	SX 0205 6102	35	68.8	C	35	1.36	A	35	0.15	A	C
ROSEVATH STREAM	PAR CONFLUENCE (INFERRED STRETCH)	R16A008	SX 0205 6102	35	68.8	C	35	1.36	A	35	0.15	A	C

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
CRINNIS RIVER	CUDDRA ROAD BRIDGE (A390)	R17A002	SX 0458 5293	34	91.2	A	34	3.83	B	34	0.11	A	B
CRINNIS RIVER	CARLYON BAY ROAD BRIDGE	R17A003	SX 0550 5275	35	76.7	B	35	2.81	B	35	0.11	A	B
CRINNIS RIVER	CRINNIS BEACH (ADIT PORTAL)	R17A004	SX 0610 5231	35	87.3	A	35	2.73	B	35	0.15	A	B
CRINNIS RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R17A004	SX 0610 5231	35	87.3	A	35	2.73	B	35	0.15	A	B
BODELVA BROOK	BODELVA	R17A007	SX 0548 5338	31	84.9	A	31	3.74	B	31	0.27	B	B
BODELVA BROOK	A.3082 BRIDGE	R17A001	SX 0563 5290	31	87.5	A	31	3.86	B	31	0.27	B	B
BODELVA BROOK	CRINNIS R. CONFLUENCE (INFERRED STRETCH)	R17A001	SX 0563 5290	31	87.5	A	31	3.86	B	31	0.27	B	B

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN N	DISSOLVED OXYGEN %ile	DISSOLVED OXYGEN C	BOD N	BOD %ile	BOD C	TOTAL AMMONIA N	TOTAL AMMONIA %ile	TOTAL AMMONIA C	CLASS
ST. AUSTELL RIVER	LANSALSON BRIDGE	R18A003	SX 0089 5478	35	81.4	A	35	1.37	A	35	0.07	A	A
ST. AUSTELL RIVER	ABOVE GOVER STREAM	R18A004	SX 0075 5268	35	81.8	A	35	1.59	A	35	0.09	A	A
ST. AUSTELL RIVER	BELOW PENTEWAN ROAD LAB	R18A019	SX 0131 5160	36	86.4	A	36	1.83	A	36	0.09	A	A
ST. AUSTELL RIVER	IRON BRIDGE	R18A006	SX 0122 5114	36	86.5	A	36	1.78	A	36	0.09	A	A
ST. AUSTELL RIVER	MOLINGEY GAUGING STATION	R18A007	SX 0071 4945	23	76.6	B	23	3.18	B	23	0.52	B	B
ST. AUSTELL RIVER	PENTEWAN BRIDGE	R18A008	SX 0175 4725	35	80.8	A	35	2.67	B	35	0.36	B	B
ST. AUSTELL RIVER	MEAN HIGH WATER (INFERRED STRETCH)	R18A008	SX 0175 4725	35	80.8	A	35	2.67	B	35	0.36	B	B
POLGOOTH STREAM	ST. MARGARETS	R18A014	SX 0001 5023	35	81.9	A	35	2.82	B	35	0.27	B	B
POLGOOTH STREAM	ABOVE POLGOOTH S T W	R18A014	SX 0001 5023	35	81.9	A	35	2.82	B	35	0.27	B	B
POLGOOTH STREAM	PRIOR TO ST. AUSTELL RIVER	R18A010	SX 0071 4983	35	83.7	A	35	1.76	A	35	0.18	A	A
POLGOOTH STREAM	ST.AUSTELL R. CONFL. (INFERRED STRETCH)	R18A010	SX 0071 4983	35	83.7	A	35	1.76	A	35	0.18	A	A
HEMBAL BROOK	BELOW BLACKPOOL	R18A021	SW 9892 5230	24	92.0	A	24	1.71	A	24	0.39	B	B
HEMBAL BROOK	U/S BRIDGE	R18A016	SW 9893 5206	24	92.3	A	24	1.55	A	24	0.31	B	B
HEMBAL BROOK	POLGOOTH STREAM CONFL. (INF. STRETCH)	R18A016	SW 9893 5206	24	92.3	A	24	1.55	A	24	0.31	B	B
GOVER STREAM	PRIOR TO ST. AUSTELL RIVER	R18A005	SX 0075 5268	35	83.4	A	35	1.60	A	35	0.11	A	A
GOVER STREAM	ST.AUSTELL R. CONFL. (INFERRED STRETCH)	R18A005	SX 0075 5268	35	83.4	A	35	1.60	A	35	0.11	A	A
MEVAGISSEY STREAM	CAR PARK MEVAGISSEY	R18A009	SX 0130 4500	35	84.1	A	35	1.92	A	35	0.12	A	A
MEVAGISSEY STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R18A009	SX 0130 4500	35	84.1	A	35	1.92	A	35	0.12	A	A
CAERHAYS STREAM	POLMASSICK BRIDGE	R18A001	SW 9718 4560	35	83.8	A	35	2.13	A	35	0.21	A	A
CAERHAYS STREAM	TUBBS MILL	R18A015	SW 9609 4329	35	89.9	A	35	2.27	A	35	0.13	A	A
CAERHAYS STREAM	CAERHAYS BEACH BRIDGE	R18A002	SW 9746 4145	35	86.3	A	35	1.84	A	35	0.10	A	A
CAERHAYS STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R18A002	SW 9746 4145	35	86.3	A	35	1.84	A	35	0.10	A	A
PORTHOLLAND STREAM	PORTHOLLAND	R18A017	SW 9593 4130	35	91.2	A	35	2.83	B	35	0.15	A	B
PORTHOLLAND STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R18A017	SW 9593 4130	35	91.2	A	35	2.83	B	35	0.15	A	B
CARNE STREAM	MELINSEY MILL	R18A011	SW 9056 3928	35	85.1	A	35	3.03	B	35	0.40	B	B
CARNE STREAM	PENDOWER BEACH	R18A012	SW 8975 3820	35	84.5	A	35	3.05	B	35	0.24	A	B
CARNE STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R18A012	SW 8975 3820	35	84.5	A	35	3.05	B	35	0.24	A	B

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
FAL	TREGOSS BRIDGE	R19C001	SW 9655 6013	36	91.1	A	36	2.12	A	36	0.09	A	A
FAL	GAVERIGAN BRIDGE	R19C002	SW 9373 5875	36	84.9	A	36	1.34	A	36	0.09	A	A
FAL	BELOW TRERICE BRIDGE	R19C031	SW 9300 5756	36	86.4	A	36	1.76	A	36	0.26	B	B
FAL	BELOW MCLARENS	R19C029	SW 9268 5725	36	88.1	A	36	1.74	A	36	0.27	B	B
FAL	RETEW BRIDGE	R19C003	SW 9265 5696	36	89.6	A	36	1.70	A	36	0.22	A	A
FAL	KERNICK BRIDGE	R19C011	SW 9325 5464	36	90.7	A	36	1.73	A	36	0.15	A	A
FAL	BELOW MELBUR PLANT 'LEAT' CP 3/1	R19C028	SW 9325 5462	37	89.6	A	37	1.61	A	37	0.20	A	A
FAL	TRETHOSA BRIDGE	R19C004	SW 9350 5328	37	89.5	A	37	1.58	A	37	0.20	A	A
FAL	TERRAS BRIDGE	R19C004	SW 9350 5328	37	89.5	A	37	1.58	A	37	0.20	A	A
FAL	GRAMPOUND BRIDGE	R19C005	SW 9336 4844	36	86.9	A	36	1.70	A	36	0.81	C	C
FAL	TREGONEY GAUGING STATION	R19C006	SW 9205 4473	77	87.8	A	77	1.92	A	77	0.26	B	B
FAL	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19C006	SW 9205 4473	77	87.8	A	77	1.92	A	77	0.26	B	B
PENKEVIL STREAM	PARSON'S HILL WOOD	R19B004	SW 8709 4185	36	87.3	A	36	1.53	A	36	0.15	A	A
PENKEVIL STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19B004	SW 8709 4185	36	87.3	A	36	1.53	A	36	0.15	A	A
TREWITHEN STREAM	MELLINGOOSE	R19C016	SW 8955 4438	36	86.5	A	36	3.89	B	36	0.24	A	B
TREWITHEN STREAM	FAL CONFLUENCE (INFERRED STRETCH)	R19C016	SW 8955 4438	36	86.5	A	36	3.89	B	36	0.24	A	B
GWINDRA STREAM	CURRIAN VALE	R19C032	SW 9660 5675	36	65.8	C	36	1.10	A	36	0.09	A	C
GWINDRA STREAM	BELOW CURRIAN C.P.	R19C023	SW 9660 5655	36	74.3	B	36	1.17	A	36	0.11	A	B
GWINDRA STREAM	NANPEAN BRIDGE	R19C014	SW 9632 5586	36	83.9	A	36	1.41	A	36	0.12	A	A
GWINDRA STREAM	BELOW DRINNICK	R19C022	SW 9570 5510	36	83.6	A	36	2.58	B	36	0.41	B	B
GWINDRA STREAM	GOONABARN	R19C017	SW 9555 5491	36	83.0	A	36	3.36	B	36	0.49	B	B
GWINDRA STREAM	GWINDRA BRIDGE	R19C008	SW 9510 5290	35	89.0	A	35	2.40	A	35	0.31	B	B
GWINDRA STREAM	TREWAY BRIDGE	R19C009	SW 9380 5065	36	84.6	A	36	2.32	A	36	2.54	E	E
GWINDRA STREAM	FAL CONFLUENCE (INFERRED STRETCH)	R19C009	SW 9380 5065	36	84.6	A	36	2.32	A	36	2.54	E	E
COOMBE STREAM	BELOW BURNGALLOW TUBE PRESS 13/7	R19C024	SW 9774 5251	44	86.8	A	44	3.23	B	44	0.48	B	B
COOMBE STREAM	COOMBE	R19C021	SW 9512 5167	44	89.1	A	44	1.54	A	44	0.22	A	A
DUBBERS STREAM	BELOW DUBBERS CP & 11/4	R19C030	SW 9680 5585	12	95.5	A	12	2.89	B	12	0.10	A	B
DUBBERS STREAM	GWINDRA STREAM CONFLUENCE (INF. STRETCH)	R19C030	SW 9680 5585	12	95.5	A	12	2.89	B	12	0.10	A	B
BODELLA BROOK	BELOW PARKANDILLICK6/3	R19C027	SW 9440 5700	37	68.0	C	37	7.60	D	37	3.14	E	E
BODELLA BROOK	CARSELLA	R19C018	SW 9409 5765	37	69.1	C	37	7.33	D	37	1.92	D	D
BODELLA BROOK	FAL CONFLUENCE (INFERRED STRETCH)	R19C018	SW 9409 5765	37	69.1	C	37	7.33	D	37	1.92	D	D
ST.DENNIS STREAM	BELOW TREVISCOE DRYERS	R19C026	SW 9486 5728	11	79.7	B	11	16.65	F	11	0.34	B	F
ST.DENNIS STREAM	BODELLA BOOK (INFERRED STRETCH)	R19C026	SW 9486 5728	11	79.7	B	11	16.65	F	11	0.34	B	F

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
PERCUIL RIVER	LANHOOSE	R19A013	SW 8613 3638	35	75.9	B	35	2.72	B	35	0.13	A	B
PERCUIL RIVER	TRETHEM MILL	R19A013	SW 8613 3638	35	75.9	B	35	2.72	B	35	0.13	A	B
PERCUIL RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A013	SW 8613 3638	35	75.9	B	35	2.72	B	35	0.13	A	B
TRESILLIAN RIVER	TRENDEAL	R19D033	SW 8868 5283	34	88.1	A	34	1.90	A	34	0.12	A	A
TRESILLIAN RIVER	LADOCK WATER PUMPING STATION	R19D002	SW 8855 4810	34	85.8	A	34	2.02	A	34	0.15	A	A
TRESILLIAN RIVER	TRESOWGAR BRIDGE	R19D002	SW 8855 4810	34	85.8	A	34	2.02	A	34	0.15	A	A
TRESILLIAN RIVER	TRESILLIAN PUMPING STATION	R19D032	SW 8713 4706	59	86.2	A	58	2.17	A	58	0.14	A	A
TRESILLIAN RIVER	D/S LADDOCK STW	R19D034	SW 8710 4695	34	86.4	A	34	2.52	B	34	0.43	B	B
TRESILLIAN RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19D034	SW 8710 4695	34	86.4	A	34	2.52	B	34	0.43	B	B
TREVELLA STREAM	FROGMORE BRIDGE	R19D014	SW 8483 4689	34	87.9	A	34	1.91	A	34	0.11	A	A
TREVELLA STREAM	TREGURRA BRIDGE	R19D014	SW 8483 4689	34	87.9	A	34	1.91	A	34	0.11	A	A
TREVELLA STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19D014	SW 8483 4689	34	87.9	A	34	1.91	A	34	0.11	A	A
KESTLE STREAM	CANDOR FORD	R19D008	SW 8737 4770	34	88.3	A	34	2.03	A	34	0.09	A	A
KESTLE STREAM	TRESSILIAN R. CONFL. (INFERRED STRETCH)	R19D008	SW 8737 4770	34	88.3	A	34	2.03	A	34	0.09	A	A
BRIGHTON STREAM	NEW MILLS	R19D005	SW 9001 5228	34	87.0	A	34	1.87	A	34	0.17	A	A
BRIGHTON STREAM	TRESSILIAN R. CONFL. (INFERRED STRETCH)	R19D005	SW 9001 5228	34	87.0	A	34	1.87	A	34	0.17	A	A
ALLEN (FAL)	IDLESS BRIDGE	R19D018	SW 8218 4701	35	87.9	A	34	2.47	A	34	0.18	A	A
ALLEN (FAL)	MORESK LAUNDRY BRIDGE	R19D004	SW 8268 4505	34	87.3	A	34	2.46	A	34	0.14	A	A
ALLEN (FAL)	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19D004	SW 8268 4505	34	87.3	A	34	2.46	A	34	0.14	A	A
ZELAH BROOK	GWARNICK MILL	R19D030	SW 8165 4923	34	83.3	A	33	2.35	A	33	0.26	B	B
ZELAH BROOK	ALLEN CONFLUENCE (INFERRED STRETCH)	R19D030	SW 8165 4923	34	83.3	A	33	2.35	A	33	0.26	B	B
KENWYN	NEW MILL	R19D016	SW 8085 4587	34	88.8	A	34	2.70	B	34	0.08	A	B
KENWYN	BOSVIGO BRIDGE	R19D007	SW 8161 4528	34	91.8	A	34	2.59	B	34	0.19	A	B
KENWYN	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19D007	SW 8161 4528	34	91.8	A	34	2.59	B	34	0.19	A	B
BOSCOLLA STREAM	BOSCOLLA FORD	R19D023	SW 8015 4629	24	88.3	A	24	2.02	A	24	0.17	A	A
BOSCOLLA STREAM	KENWYN CONFLUENCE (INFERRED STRETCH)	R19D023	SW 8015 4629	24	88.3	A	24	2.02	A	24	0.17	A	A
CALENICK STREAM	HUGUS	R19D025	SW 7840 4381	36	79.9	B	36	1.46	A	36	0.04	A	B
CALENICK STREAM	CALENICK BRIDGE	R19D006	SW 8220 4310	36	81.9	A	37	1.42	A	37	0.07	A	A
CALENICK STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19D006	SW 8220 4310	36	81.9	A	37	1.42	A	37	0.07	A	A
CARNON RIVER	CHACEWATER VIADUCT	R19E016	SW 7446 4520	35	68.6	C	35	1.25	A	35	0.15	A	C

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
CARNON RIVER	BELOW CHACEWATER S T W	R19E008	SW 7540 4328	35	80.7	A	35	1.71	A	35	0.42	B	B
CARNON RIVER	TWELVEHEADS	R19E001	SW 7618 4194	35	86.7	A	35	1.14	A	35	0.05	A	A
CARNON RIVER	D/S COUNTY AND WELLINGTON ADITS	R19E015	SW 7655 4172	35	65.8	C	35	1.90	A	34	0.07	A	C
CARNON RIVER	BISSOE BRIDGE	R19E003	SW 7758 4115	34	83.3	A	35	3.99	B	34	0.24	A	B
CARNON RIVER	DEVORAN BRIDGE	R19E004	SW 7910 3941	76	76.9	B	76	4.53	C	76	0.57	B	C
CARNON RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19E004	SW 7910 3941	76	76.9	B	76	4.53	C	76	0.57	B	C
PERRANWELL STREAM	PERRANWELL	R19E020	SW 7758 3940	35	83.2	A	35	1.40	A	35	0.05	A	A
PERRANWELL STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19E020	SW 7758 3940	35	83.2	A	35	1.40	A	35	0.05	A	A
BALDHU STREAM	BISSOE BRIDGE	R19E021	SW 7760 4146	33	85.8	A	33	9.04	E	33	1.99	D	E
BALDHU STREAM	CARNON CONFLUENCE (INFERRED STRETCH)	R19E021	SW 7760 4146	33	85.8	A	33	9.04	E	33	1.99	D	E
HICK'S MILL STREAM	HICK'S MILL	R19E019	SW 7673 4115	35	83.9	A	35	1.87	A	35	0.44	B	B
HICK'S MILL STREAM	CARNON CONFLUENCE (INFERRED STRETCH)	R19E019	SW 7673 4115	35	83.9	A	35	1.87	A	35	0.44	B	B
ST. DAY STREAMS	PRIOR TO R.CARNON	R19E022	SW 7595 4225	34	78.2	B	34	1.30	A	34	0.24	A	B
ST. DAY STREAMS	CARNON CONFLUENCE (INFERRED STRETCH)	R19E022	SW 7595 4225	34	78.2	B	34	1.30	A	34	0.24	A	B
KENNALL	INTAKE, STITHIANS RES. (UNMON. STRETCH)		SX 5900 5909										
KENNALL	STITHIANS RESERVOIR		SX 5900 5909										
KENNALL	TREGOLLS BRIDGE	R19E005	SW 7300 3613	34	88.4	A	34	2.47	A	34	0.16	A	A
KENNALL	PONSANOOTH GAUGING STATION	R19E006	SW 7631 3768	34	90.3	A	34	2.61	B	34	0.10	A	B
KENNALL	STICKEN BRIDGE	R19E007	SW 7735 3819	34	83.2	A	34	3.06	B	34	0.46	B	B
KENNALL	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19E007	SW 7735 3819	34	83.2	A	34	3.06	B	34	0.46	B	B
STITHIANS STREAM	SEAUREAUGH MOOR	R19E023	SW 7349 3735	34	90.5	A	34	2.37	A	34	0.10	A	A
STITHIANS STREAM	KENNAL CONFLUENCE (INFERRED STRETCH)	R19E023	SW 7349 3735	34	90.5	A	34	2.37	A	34	0.10	A	A
MYLOR STREAM	ABOVE MYLOR S T W	R19A035	SW 7906 3651	34	83.4	A	34	1.79	A	34	0.05	A	A
MYLOR STREAM	ENYS	R19A035	SW 7906 3651	34	83.4	A	34	1.79	A	34	0.05	A	A
MYLOR STREAM	MYLOR BRIDGE	R19A014	SW 8043 3611	34	84.1	A	34	2.93	B	34	0.87	C	C
MYLOR STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A014	SW 8043 3611	34	84.1	A	34	2.93	B	34	0.87	C	C
PENRYN RIVER	TREMOUGH	R19A037	SW 7735 3505	34	92.1	A	34	3.02	B	34	0.18	A	B
PENRYN RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A037	SW 7735 3505	34	92.1	A	34	3.02	B	34	0.18	A	B
ARGAL STREAM	INTAKE, COLLEGE RES. (UNMON. STRETCH)		SX 5900 5909										
ARGAL STREAM	COLLEGE RESERVOIR	R19A059	SW 773 335	34	85.1	A	34	4.31	C	34	0.07	A	C
ARGAL STREAM	NORMAL TIDAL LIMIT (UNMON. STRETCH)		SX 5900 5909										

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
SWANPOOL STREAM	ABOVE SWANPOOL	R19A009	SW 8004 3166	34	85.6	A	34	3.10	B	34	0.13	A	B
SWANPOOL STREAM	NORMAL TIDAL LIMIT (UNMON. STRETCH)		SX 5900 5909										
MAENPORTH STREAM	TREGEDNA BRIDGE	R19A008	SW 7883 3028	34	75.7	B	34	2.87	B	34	0.23	A	B
MAENPORTH STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A008	SW 7883 3028	34	75.7	B	34	2.87	B	34	0.23	A	B
PORTH NAVAS STREAM	ROSKELLAN BRIDGE	R19A001	SW 7575 2826	35	92.0	A	35	2.39	A	35	0.17	A	A
PORTH NAVAS STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A001	SW 7575 2826	35	92.0	A	35	2.39	A	35	0.17	A	A
LESTRAINES RIVER	EATHORNE BRIDGE	R19A003	SW 7369 2845	35	93.3	A	35	1.74	A	35	0.35	B	B
LESTRAINES RIVER	POLWHEVERAL BRIDGE	R19A003	SW 7369 2845	35	93.3	A	35	1.74	A	35	0.35	B	B
LESTRAINES RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A003	SW 7369 2845	35	93.3	A	35	1.74	A	35	0.35	B	B
CARVEDRAS STREAM	PRIOR TO LESTRAINES RIVER	R19A027	SW 7374 2910	35	92.5	A	35	1.51	A	35	0.10	A	A
CARVEDRAS STREAM	LESTRAINES R. CONFL. (INFERRED STRETCH)	R19A027	SW 7374 2910	35	92.5	A	35	1.51	A	35	0.10	A	A
GWEEK RIVER	MERTHER-UNY MILL BRIDGE	R19A042	SW 7061 2685	43	88.9	A	43	1.86	A	43	0.08	A	A
GWEEK RIVER	DANNETO COTTAGE	R19A042	SW 7061 2685	43	88.9	A	43	1.86	A	43	0.08	A	A
GWEEK RIVER	GWEEK BRIDGE	R19A042	SW 7061 2685	43	88.9	A	43	1.86	A	43	0.08	A	A
GWEEK RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A042	SW 7061 2685	43	88.9	A	43	1.86	A	43	0.08	A	A
HELFORD RIVER	MELLANGOOSE	R19A005	SW 7039 2649	35	89.5	A	35	2.71	B	35	0.19	A	B
HELFORD RIVER	UPSTREAM OF GWEEK MILL	R19A005	SW 7039 2649	35	89.5	A	35	2.71	B	35	0.19	A	B
HELFORD RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A005	SW 7039 2649	35	89.5	A	35	2.71	B	35	0.19	A	B
ROSEVEAR RIVER	ROSEVEAR	R19A043	SW 7033 2555	40	90.7	A	40	2.49	A	40	0.12	A	A
ROSEVEAR RIVER	PONSON TUEL FORD BRIDGE	R19A043	SW 7033 2555	40	90.7	A	40	2.49	A	40	0.12	A	A
ROSEVEAR RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A043	SW 7033 2555	40	90.7	A	40	2.49	A	40	0.12	A	A
TRELOWARREN STREAM	TRELOWARREN MILL	R19A030	SW 7173 2483	35	90.4	A	35	1.83	A	35	0.07	A	A
TRELOWARREN STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A030	SW 7173 2483	35	90.4	A	35	1.83	A	35	0.07	A	A
MANACCAN RIVER	POLKANOGGO	R19A021	SW 7640 2468	35	88.3	A	35	3.86	B	35	0.36	B	B
MANACCAN RIVER	MANACCAN ROAD BRIDGE	R19A021	SW 7640 2468	35	88.3	A	35	3.86	B	35	0.36	B	B
MANACCAN RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R19A021	SW 7640 2468	35	88.3	A	35	3.86	B	35	0.36	B	B
PORTHALLOW STREAM	PORTHALLOW	R19A032	SW 7970 2318	35	87.9	A	34	5.83	C	35	0.14	A	C
PORTHALLOW STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R19A032	SW 7970 2318	35	87.9	A	34	5.83	C	35	0.14	A	C
ST KEVERNE STREAM	PORTHOUSTOCK	R19A017	SW 8058 2181	35	86.8	A	34	3.67	B	35	0.37	B	B

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
ST KEVERNE STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R19A017	SW 8058 2181	35	86.8	A	34	3.67	B	35	0.37	B	B
POLTESCO RIVER	POLTESCO BRIDGE	R19A016	SW 7244 1568	35	90.1	A	34	3.55	B	35	0.28	B	B
POLTESCO RIVER	MEAN HIGH WATER (INFERRED STRETCH)	R19A016	SW 7244 1568	35	90.1	A	34	3.55	B	35	0.28	B	B
MULLION STREAM	UPSTREAM OF HARBOUR PORTH MELLIN	R19A012	SW 6679 1789	35	82.7	A	35	4.90	C	35	0.80	C	C
MULLION STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R19A012	SW 6679 1789	35	82.7	A	35	4.90	C	35	0.80	C	C
CURY RIVER	UPSTREAM OF MARSH	R19A067	SW 6826 2054	42	42.0	E	42	2.64	B	42	0.37	B	E
CURY RIVER	POINT UPSTREAM OF POLDHU BEACH	R19A067	SW 6826 2054	42	42.0	E	42	2.64	B	42	0.37	B	E
CURY RIVER	MEAN HIGH WATER (INFERRED STRETCH)	R19A067	SW 6826 2054	42	42.0	E	42	2.64	B	42	0.37	B	E
GUNWALLOE STREAM	UPSTREAM OF REED BED	R19A068	SW 6675 2210	42	28.5	E	42	2.62	B	42	0.16	A	E
GUNWALLOE STREAM	WINNIANTON FARM	R19A068	SW 6675 2210	42	28.5	E	42	2.62	B	42	0.16	A	E
GUNWALLOE STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R19A068	SW 6675 2210	42	28.5	E	42	2.62	B	42	0.16	A	E

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
COBER	TRENEAR BRIDGE	R20A001	SW 6810 3138	35	86.0	A	35	1.45	A	35	0.13	A	A
COBER	COVERACK BRIDGE	R20A008	SW 6686 3013	35	90.0	A	35	1.50	A	35	0.10	A	A
COBER	LOWER TOWN BRIDGE	R20A003	SW 6580 2913	35	92.6	A	35	1.51	A	35	0.07	A	A
COBER	HELSTON PARK GAUGING STATION	R20A009	SW 6548 2723	35	89.7	A	35	1.76	A	35	0.10	A	A
COBER	BELOW HELSTON STW	R20A004	SW 6526 2681	35	87.9	A	35	2.24	A	35	0.25	A	A
COBER	INTAKE, LOE POOL (INFERRED STRETCH)	R20A004	SW 6526 2681	35	87.9	A	35	2.24	A	35	0.25	A	A
COBER	AT BAR OUTFALL	R20A005	SW 6425 2428	35	82.6	A	35	3.27	B	35	0.22	A	B
COBER	MEAN HIGH WATER (INFERRED STRETCH)	R20A005	SW 6425 2428	35	82.6	A	35	3.27	B	35	0.22	A	B
BODILLY STREAM	BODILLY MILL	R20A002	SW 6700 3185	35	86.4	A	35	1.53	A	35	0.20	A	A
BODILLY STREAM	COBER CONFLUENCE (INFERRED STRETCH)	R20A002	SW 6700 3185	35	86.4	A	35	1.53	A	35	0.20	A	A
MEDLYN STREAM	CHY BRIDGE	R20A006	SW 6935 3263	35	82.9	A	35	1.30	A	35	0.05	A	A
MEDLYN STREAM	COBER CONFLUENCE (INFERRED STRETCH)	R20A006	SW 6935 3263	35	82.9	A	35	1.30	A	35	0.05	A	A

INTERNAL DRAFT
V 20/09/94

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
PORTHLEVEN STREAM	PENBRO	R21A013	SW 6283 2825	35	87.1	A	35	1.10	A	35	0.06	A	A
PORTHLEVEN STREAM	A394 ROAD BRIDGE	R21A010	SW 6272 2600	35	87.2	A	35	1.19	A	35	0.09	A	A
PORTHLEVEN STREAM	METHLEIGH	R21A010	SW 6272 2600	35	87.2	A	35	1.19	A	35	0.09	A	A
PORTHLEVEN STREAM	UPSTREAM OF HARBOUR, PORTHLEVEN	R21A010	SW 6272 2600	35	87.2	A	35	1.19	A	35	0.09	A	A
PORTHLEVEN STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R21A010	SW 6272 2600	35	87.2	A	35	1.19	A	35	0.09	A	A
MARAZION RIVER	NANCLEDRA	R21A028	SW 4965 3603	34	86.5	A	34	1.94	A	34	0.04	A	A
MARAZION RIVER	CUCURRIAN MILL	R21A001	SW 5034 3494	34	78.6	B	34	2.13	A	34	0.08	A	B
MARAZION RIVER	TRUTHWELL MILL BRIDGE	R21A002	SW 5237 3247	34	77.4	B	34	2.17	A	34	0.04	A	B
MARAZION RIVER	MEAN HIGH WATER (INFERRED STRETCH)	R21A002	SW 5237 3247	34	77.4	B	34	2.17	A	34	0.04	A	B
TREGILLIOWE STREAM	GWALLON	R21A026	SW 5256 3213	35	57.8	D	35	2.53	B	35	0.14	A	D
TREGILLIOWE STREAM	MARAZION R. CONFL. (INFERRED STRETCH)	R21A026	SW 5256 3213	35	57.8	D	35	2.53	B	35	0.14	A	D
TREVAYLOR STREAM	TRYTHOGGA	R21A022	SW 4769 3180	34	86.1	A	34	2.47	A	34	0.07	A	A
TREVAYLOR STREAM	A.30 BRIDGE AT CHYANDOUR	R21A008	SW 4812 3115	34	86.3	A	34	2.42	A	34	0.06	A	A
TREVAYLOR STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R21A008	SW 4812 3115	34	86.3	A	34	2.42	A	34	0.06	A	A
ROSEMORRAN STREAM	KENEGIE COTTAGE	R21A021	SW 4788 3220	34	87.2	A	34	2.48	A	34	0.08	A	A
ROSEMORRAN STREAM	TREVAYLOR STREAM CONFL. (INF. STRETCH)	R21A021	SW 4788 3220	34	87.2	A	34	2.48	A	34	0.08	A	A
CHYANDOUR BROOK	HEAMOOR	R21A006	SW 4785 3102	34	87.0	A	34	2.50	A	34	0.13	A	A
CHYANDOUR BROOK	A.30 BRIDGE AT CHYANDOUR	R21A006	SW 4785 3102	34	87.0	A	34	2.50	A	34	0.13	A	A
CHYANDOUR BROOK	MEAN HIGH WATER (INFERRED STRETCH)	R21A006	SW 4785 3102	34	87.0	A	34	2.50	A	34	0.13	A	A
LARIGGAN RIVER	WEST LODGE	R21A007	SW 4675 2945	35	88.3	A	35	3.07	B	35	0.05	A	B
LARIGGAN RIVER	WHERRY TOWN BRIDGE	R21A007	SW 4675 2945	35	88.3	A	35	3.07	B	35	0.05	A	B
LARIGGAN RIVER	MEAN HIGH WATER (INFERRED STRETCH)	R21A007	SW 4675 2945	35	88.3	A	35	3.07	B	35	0.05	A	B
NEWLYN RIVER	SKIMMEL BRIDGE	R21A039	SW 434 299	35	90.4	A	35	1.78	A	35	0.13	A	A
NEWLYN RIVER	INTAKE, DRIFT RES. (INFERRED STRETCH)	R21A039	SW 434 299	35	90.4	A	35	1.78	A	35	0.13	A	A
NEWLYN RIVER	DRIFT RESERVOIR	R21A038	SW 437 289	25	91.7	A	26	2.32	A	26	0.07	A	A
NEWLYN RIVER	BURYAS BRIDGE	R21A004	SW 4475 2908	35	86.0	A	35	2.42	A	35	0.06	A	A
NEWLYN RIVER	STABLE HOBBA	R21A027	SW 4550 2931	35	87.1	A	35	2.81	B	35	0.06	A	B
NEWLYN RIVER	NEWLYN BRIDGE	R21A005	SW 4625 2903	35	90.1	A	35	3.28	B	35	0.10	A	B
NEWLYN RIVER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R21A005	SW 4625 2903	35	90.1	A	35	3.28	B	35	0.10	A	B
TREREIFE STREAM	DENNIS PLACE	R21A019	SW 4461 3005	35	86.2	A	35	1.72	A	35	0.28	B	B
TREREIFE STREAM	PRIOR TO RIVER NEWLYN	R21A020	SW 4520 2928	35	88.5	A	35	2.98	B	35	0.05	A	B
TREREIFE STREAM	NEWLYN R. CONFLUENCE (INFERRED STRETCH)	R21A020	SW 4520 2928	35	88.5	A	35	2.98	B	35	0.05	A	B

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
SANCREED BROOK	LITTLE SELLAN BRIDGE	R21A017	SW 4256 2975	35	88.0	A	35	1.68	A	35	0.13	A	A
SANCREED BROOK	INFLOW, DRIFT RES. (INFERRED STRETCH)	R21A017	SW 4256 2975	35	88.0	A	35	1.68	A	35	0.13	A	A
LAMORNA STREAM	TREWOOFE	R21A011	SW 4502 2410	34	91.0	A	34	2.01	A	34	0.11	A	A
LAMORNA STREAM	HOTEL LAMORNA	R21A011	SW 4502 2410	34	91.0	A	34	2.01	A	34	0.11	A	A
LAMORNA STREAM	LAMORNA	R21A011	SW 4502 2410	34	91.0	A	34	2.01	A	34	0.11	A	A
LAMORNA STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R21A011	SW 4502 2410	34	91.0	A	34	2.01	A	34	0.11	A	A
CARN EUNY STREAM	TREWOOFE	R21A015	SW 4401 2524	34	88.7	A	34	2.08	A	34	0.07	A	A
CARN EUNY STREAM	LAMORNA STREAM CONFL. (INF. STRETCH)	R21A015	SW 4401 2524	34	88.7	A	34	2.08	A	34	0.07	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN		BOD		TOTAL AMMONIA		CLASS
				N	%ile C	N	%ile C	N	%ile C	
PENBERTH STREAM	BOTTOMS	R22A009	SW 4011 2289	35	89.2 A	35	2.41 A	35	0.20 A	A
PENBERTH STREAM	TREEN	R22A009	SW 4011 2289	35	89.2 A	35	2.41 A	35	0.20 A	A
PENBERTH STREAM	PENBERTH BRIDGE	R22A009	SW 4011 2289	35	89.2 A	35	2.41 A	35	0.20 A	A
PENBERTH STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R22A009	SW 4011 2289	35	89.2 A	35	2.41 A	35	0.20 A	A
TREGESEAL STREAM	BOSTRAZE	R22A006	SW 3731 3180	35	89.2 A	35	2.04 A	35	0.21 A	A
TREGESEAL STREAM	TREGASEAL BRIDGE	R22A006	SW 3731 3180	35	89.2 A	35	2.04 A	35	0.21 A	A
TREGESEAL STREAM	PRIOR TO SEA	R22A007	SW 3566 3231	35	87.3 A	35	3.06 B	35	0.51 B	B
TREGESEAL STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R22A007	SW 3566 3231	35	87.3 A	35	3.06 B	35	0.51 B	B
ZENNOR STREAM	ZENNOR	R22A008	SW 4521 3860	35	85.5 A	35	2.71 B	35	0.34 B	B
ZENNOR STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R22A008	SW 4521 3860	35	85.5 A	35	2.71 B	35	0.34 B	B
STENNACK RIVER	INTAKE, BUSSOW RES. (UNMON. STRETCH)		SX 5900 5909							
STENNACK RIVER	BUSSOW RESERVOIR	R22A020	SW 502 393	30	92.3 A	30	3.62 B	30	0.03 A	B
STENNACK RIVER	MEAN HIGH WATER (UNMONITORRED STRETCH)		SX 5900 5909							
HAYLE	B3303 BRIDGE, CROWAN	R22B014	SW 6382 3466	35	88.6 A	36	1.97 A	36	0.05 A	A
HAYLE	DRYM FARM	R22B015	SW 6203 3378	35	88.7 A	36	1.87 A	36	0.03 A	A
HAYLE	BINNER BRIDGE	R22B001	SW 6110 3273	35	88.3 A	36	2.59 B	36	0.07 A	B
HAYLE	GODOLPHIN BRIDGE	R22B002	SW 5961 3241	35	90.0 A	36	1.35 A	36	0.06 A	A
HAYLE	RELUBBUS	R22B003	SW 5661 3196	36	85.0 A	37	1.09 A	37	0.02 A	A
HAYLE	ST ERTH GAUGING STATION	R22B004	SW 5490 3508	35	84.3 A	36	1.21 A	36	0.04 A	A
HAYLE	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R22B004	SW 5490 3508	35	84.3 A	36	1.21 A	36	0.04 A	A
NANCE STREAM	LELANT	R22A005	SW 5411 3650	36	89.3 A	36	1.88 A	36	0.06 A	A
NANCE STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R22A005	SW 5411 3650	36	89.3 A	36	1.88 A	36	0.06 A	A
ST. ERTH STREAM	TRELOWETH	R22B018	SW 5430 3556	34	89.0 A	35	2.54 B	35	0.10 A	B
ST. ERTH STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R22B018	SW 5430 3556	34	89.0 A	35	2.54 B	35	0.10 A	B
MILLPOOL STREAM	MILLPOOL	R22B013	SW 5711 3145	36	80.7 A	37	1.53 A	37	0.03 A	A
MILLPOOL STREAM	HAYLE CONFLUENCE (INFERRED STRETCH)	R22B013	SW 5711 3145	36	80.7 A	37	1.53 A	37	0.03 A	A
GODOLPHIN STREAM	GWEDNA	R22B017	SW 6040 3212	34	88.5 A	36	1.51 A	36	0.11 A	A
GODOLPHIN STREAM	HAYLE CONFLUENCE (INFERRED STRETCH)	R22B017	SW 6040 3212	34	88.5 A	36	1.51 A	36	0.11 A	A
NANCEGOLLAN STREAM	TRENWHEAL	R22B016	SW 6145 3307	34	87.4 A	35	2.64 B	35	0.13 A	B
NANCEGOLLAN STREAM	HAYLE CONFLUENCE (INFERRED STRETCH)	R22B016	SW 6145 3307	34	87.4 A	35	2.64 B	35	0.13 A	B
ANGARRACK STREAM	NANPUSKER	R22A014	SW 5885 3737	35	84.9 A	35	2.06 A	35	0.16 A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
ANGARRACK STREAM	PHILLACK - COPPERHOUSE	R22A001	SW 5692 3807	36	86.6	A	36	1.93	A	36	0.08	A	A
ANGARRACK STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R22A001	SW 5692 3807	36	86.6	A	36	1.93	A	36	0.08	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
RED RIVER	ABOVE BREA TIN WORKS	R23A001	SW 6690 3930	35	82.6	A	35	1.25	A	35	0.09	A	A
RED RIVER	ABOVE SOUTH CROFTY MINE	R23A002	SW 6613 4090	34	92.3	A	34	1.08	A	34	0.06	A	A
RED RIVER	ROSCROGGAN BRIDGE	R23A003	SW 6502 4201	35	93.1	A	35	2.86	B	35	0.43	B	B
RED RIVER	KIEVE BRIDGE	R23A005	SW 6293 4230	35	92.3	A	35	4.09	C	35	0.37	B	C
RED RIVER	GWITHIAN TOWANS	R23A006	SW 5825 4222	77	87.8	A	77	2.77	B	78	0.20	A	B
RED RIVER	MEAN HIGH WATER (INFERRED STRETCH)	R23A006	SW 5825 4222	77	87.8	A	77	2.77	B	78	0.20	A	B
ROSEWORTHY STREAM	BOTETOE BRIDGE	R23A038	SW 6409 3763	36	70.9	B	36	1.52	A	36	0.04	A	B
ROSEWORTHY STREAM	PENPONDS	R23A008	SW 6302 3908	36	86.3	A	36	1.64	A	36	0.07	A	A
ROSEWORTHY STREAM	NANCEMELLIN	R23A009	SW 6062 4107	35	82.8	A	35	1.48	A	35	0.05	A	A
ROSEWORTHY STREAM	RED R. CONFLUENCE (INFERRED STRETCH)	R23A009	SW 6062 4107	35	82.8	A	35	1.48	A	35	0.05	A	A
PRAZE RIVER	INTAKE, CARGENWEN RES. (UNMON. STRETCH)		SX 5900 5909										
PRAZE RIVER	CARGENWEN NO.1 RESERVOIR	R23A050	SW 6508 3521	36	87.0	A	36	2.00	A	36	0.04	A	A
PRAZE RIVER	PRAZE	R23A045	SW 6400 3563	36	81.9	A	36	2.11	A	36	0.06	A	A
PRAZE RIVER	BARRIPPER	R23A037	SW 6330 3819	36	77.5	B	36	1.79	A	36	0.12	A	B
PRAZE RIVER	ROSEWORTHY STREAM CONFL. (INF. STRETCH)	R23A037	SW 6330 3819	36	77.5	B	36	1.79	A	36	0.12	A	B
REEN STREAM	ABOVE OLD WHEAL PENDARVES DISCHARGE	R23A039	SW 6471 3806	44	89.4	A	44	1.40	A	44	0.13	A	A
REEN STREAM	RAMSGATE	R23A007	SW 6416 3849	36	88.4	A	36	1.57	A	36	0.07	A	A
REEN STREAM	ROSEWORTHY STREAM CONFL. (INF. STRETCH)	R23A007	SW 6416 3849	36	88.4	A	36	1.57	A	36	0.07	A	A
TEHIDY STREAM	TOLVADDON BRIDGE	R23A042	SW 6637 4217	36	89.4	A	36	3.69	B	36	0.07	A	B
TEHIDY STREAM	OLD MERROSE	R23A041	SW 6510 4327	36	84.3	A	36	1.81	A	36	0.03	A	A
TEHIDY STREAM	COOMBE	R23A017	SW 6299 4240	35	88.0	A	35	2.46	A	35	0.07	A	A
TEHIDY STREAM	RED R. CONFLUENCE (INFERRED STRETCH)	R23A017	SW 6299 4240	35	88.0	A	35	2.46	A	35	0.07	A	A
PORTREATH STREAM	BRIDGE(D/S CAMBROSE)	R23A015	SW 6739 4485	36	88.8	A	36	1.56	A	36	0.07	A	A
PORTREATH STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R23A015	SW 6739 4485	36	88.8	A	36	1.56	A	36	0.07	A	A
REDRUTH STREAM	NORTH COUNTRY BRIDGE	R23A014	SW 6896 4386	36	88.0	A	36	3.10	B	36	0.16	A	B
REDRUTH STREAM	BELOW OLD CONCORD MINERALS DISCHARGE	R23A062	SW 6855 4503	44	89.0	A	44	3.06	B	44	0.06	A	B
REDRUTH STREAM	PORTREATH STREAM CONFL. (INF. STRETCH)	R23A014	SW 6896 4386	36	88.0	A	36	3.10	B	36	0.16	A	B
PORTHTOWAN STREAM	MOUNT HAWKE	R23A043	SW 7142 4795	35	73.2	B	35	2.08	A	35	0.07	A	B
PORTHTOWAN STREAM	PORTHTOWAN BRIDGE	R23A013	SW 6950 4747	35	75.5	B	35	1.18	A	35	0.36	B	B
PORTHTOWAN STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R23A013	SW 6950 4747	35	75.5	B	35	1.18	A	35	0.36	B	B
MENAGISSEY STREAM	MENAGISSEY BRIDGE	R23A052	SW 7101 4626	34	85.1	A	35	1.97	A	35	0.15	A	A
MENAGISSEY STREAM	PORTHTOWAN STREAM CONFL. (INF. STRETCH)	R23A052	SW 7101 4626	34	85.1	A	35	1.97	A	35	0.15	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
ST AGNES STREAM	PRIOR TO CULVERT ST AGNES	R23A016	SW 7217 5138	35	90.2	A	35	4.09	C	35	0.32	B	C
ST AGNES STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R23A016	SW 7217 5138	35	90.2	A	35	4.09	C	35	0.32	B	C
TREVELLAS STREAM	ABOVE TREVAUNANCE COVE	R23A051	SW 7280 5172	35	85.2	A	35	1.51	A	35	0.22	A	A
TREVELLAS STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R23A051	SW 7280 5172	35	85.2	A	35	1.51	A	35	0.22	A	A
PERRANPORTH STREAM	SILVERWELL	R23A046	SW 7473 4775	28	85.1	A	28	1.50	A	28	0.05	A	A
PERRANPORTH STREAM	MITHIAN	R23A047	SW 7467 5060	35	85.1	A	35	2.42	A	35	0.14	A	A
PERRANPORTH STREAM	PLEASURE GARDENS PERRANPORTH	R23A012	SW 7560 5407	35	88.9	A	35	1.92	A	35	0.07	A	A
PERRANPORTH STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R23A012	SW 7560 5407	35	88.9	A	35	1.92	A	35	0.07	A	A
BOLINGEY STREAM	PERRANWELL	R23A048	SW 7685 5286	35	84.9	A	35	2.06	A	35	0.38	B	B
BOLINGEY STREAM	PONSMERE BRIDGE	R23A011	SW 7602 5443	35	80.1	A	35	2.25	A	35	0.31	B	B
BOLINGEY STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R23A011	SW 7602 5443	35	80.1	A	35	2.25	A	35	0.31	B	B
HOLYWELL STREAM	TRELASKE	R23A049	SW 7893 5681	35	85.3	A	35	2.61	B	35	0.26	B	B
HOLYWELL STREAM	HOLYWELL BAY BRIDGE	R23A010	SW 7673 5885	35	82.6	A	35	1.77	A	35	0.10	A	A
HOLYWELL STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R23A010	SW 7673 5885	35	82.6	A	35	1.77	A	35	0.10	A	A
PORTH JOKE STREAM	TREVOWAH	R23A061	SW 7736 6028	42	77.2	B	42	1.67	A	42	0.08	A	B
PORTH JOKE STREAM	PRIOR TO BEACH	R23A061	SW 7736 6028	42	77.2	B	42	1.67	A	42	0.08	A	B
PORTH JOKE STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R23A061	SW 7736 6028	42	77.2	B	42	1.67	A	42	0.08	A	B

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
GANNEL	PERROSE	R24A008	SW 8842 5827	36	84.9	A	36	4.29	C	36	0.43	B	C
GANNEL	KESTLE MILL BRIDGE	R24A005	SW 8500 5931	36	89.4	A	36	2.40	A	36	0.09	A	A
GANNEL	GWILLS GAUGING STATION	R24A006	SW 8293 5927	36	88.7	A	36	2.26	A	36	0.14	A	A
GANNEL	TREVEMPER	R24A009	SW 8192 5992	36	88.6	A	36	2.55	B	36	0.20	A	B
GANNEL	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R24A009	SW 8192 5992	36	88.6	A	36	2.55	B	36	0.20	A	B
TREN CREEK	BELOW TRENANCE ROAD NEWQUAY	R24A022	SW 8163 6112	32	75.4	B	32	5.04	C	32	0.21	A	C
TREN CREEK	BOATING LAKE OVERFLOW	R24A022	SW 8163 6112	32	75.4	B	32	5.04	C	32	0.21	A	C
TRELOGGAN STREAM	A3075 ROUNDABOUT	R24A018	SW 8196 6007	36	86.6	A	36	2.52	B	36	0.05	A	B
TRELOGGAN STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R24A018	SW 8196 6007	36	86.6	A	36	2.52	B	36	0.05	A	B
NEWLYN EAST STREAM	ROSECLISTON	R24A012	SW 8170 5880	36	89.5	A	36	1.82	A	36	0.07	A	A
NEWLYN EAST STREAM	GANNEL CONFLUENCE (INFERRED STRETCH)	R24A012	SW 8170 5880	36	89.5	A	36	1.82	A	36	0.07	A	A
BENNY STREAM	BENNY MILL BRIDGE	R24A004	SW 8416 5742	36	87.6	A	36	2.14	A	36	0.11	A	A
BENNY STREAM	TREWERRY MILL	R24A010	SW 8373 5801	36	88.2	A	36	1.90	A	36	0.33	B	B
BENNY STREAM	GANNEL CONFLUENCE (INFERRED STRETCH)	R24A010	SW 8373 5801	36	88.2	A	36	1.90	A	36	0.33	B	B
EAST WHEAL ROSE STREAM	EAST WHEAL ROSE BRIDGE	R24A001	SW 8347 5523	36	90.0	A	36	1.25	A	36	0.03	A	A
EAST WHEAL ROSE STREAM	METHA BRIDGE	R24A003	SW 8391 5635	36	87.4	A	36	1.38	A	36	1.06	C	C
EAST WHEAL ROSE STREAM	BENNY BRIDGE	R24A011	SW 8380 5727	36	88.3	A	36	1.55	A	36	0.75	C	C
EAST WHEAL ROSE STREAM	BENNY STREAM CONFL. (INFERRED STRETCH)	R24A011	SW 8380 5727	36	88.3	A	36	1.55	A	36	0.75	C	C

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
PORTH STREAM	TREGOOSE FORD BRIDGE	R25A004	SW 8833 6157	40	86.4	A	40	2.92	B	40	0.15	A	B
PORTH STREAM	INTAKE, PORTH RES. (INFERRED STRETCH)	R25A004	SW 8833 6157	40	86.4	A	40	2.92	B	40	0.15	A	B
PORTH STREAM	PORTH RESERVOIR (UNMONITORRED STRETCH)		SX 5900 5909										
PORTH STREAM	MELANCOOSE	R25A031	SW 863 622	36	90.3	A	36	2.98	B	36	0.13	A	B
PORTH STREAM	RIALTON BRIDGE	R25A005	SW 8468 6232	36	86.1	A	36	2.75	B	36	0.06	A	B
PORTH STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R25A005	SW 8468 6232	36	86.1	A	36	2.75	B	36	0.06	A	B
ST. MAWGAN STREAM	WHIPSIDERRY	R25A013	SW 8373 6327	36	90.1	A	36	2.51	B	36	0.19	A	B
ST. MAWGAN STREAM	PORTH STREAM CONFL. (INFERRED STRETCH)	R25A013	SW 8373 6327	36	90.1	A	36	2.51	B	36	0.19	A	B
MENALHYL	TREGAMERE	R25A014	SW 9270 6457	35	87.9	A	35	2.42	A	35	0.05	A	A
MENALHYL	THE RETREAT	R25A001	SW 9141 6399	35	91.6	A	35	1.94	A	35	0.05	A	A
MENALHYL	ST. COLUMB MAJOR BRIDGE	R25A001	SW 9141 6399	35	91.6	A	35	1.94	A	35	0.05	A	A
MENALHYL	BELOW ST. COLUMB STW	R25A011	SW 9041 6413	36	84.5	A	36	3.60	B	36	0.31	B	B
MENALHYL	ST. MAWGAN BRIDGE	R25A002	SW 8726 6600	36	89.5	A	36	2.11	A	36	0.08	A	A
MENALHYL	MAWGAN PORTH BRIDGE	R25A003	SW 8493 6716	36	82.5	A	36	1.85	A	36	0.06	A	A
MENALHYL	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R25A003	SW 8493 6716	36	82.5	A	36	1.85	A	36	0.06	A	A
GLUVIAN STREAM	GLUVIAN	R25A018	SW 8621 6692	35	88.3	A	35	1.65	A	35	0.06	A	A
GLUVIAN STREAM	MENALHYL CONFLUENCE (INFERRED STRETCH)	R25A018	SW 8621 6692	35	88.3	A	35	1.65	A	35	0.06	A	A
PORTHCOTHAN STREAM	PORTHCOTHAN ROADBRIDGE	R25A008	SW 8594 7208	35	85.4	A	35	1.77	A	35	0.07	A	A
PORTHCOTHAN STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R25A008	SW 8594 7208	35	85.4	A	35	1.77	A	35	0.07	A	A
HARLYN WATER	TRENEARNE BRIDGE	R25A026	SW 8890 7465	24	83.9	A	24	2.07	A	24	0.05	A	A
HARLYN WATER	INFLOW, HARLYN LEY (UNMON. STRETCH)		SX 5900 5909										
HARLYN WATER	HARLYN BRIDGE	R25A007	SW 8787 7539	35	57.8	D	35	2.82	B	35	0.10	A	D
HARLYN WATER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R25A007	SW 8787 7539	35	57.8	D	35	2.82	B	35	0.10	A	D
CAMEL	SLAUGHTERBRIDGE	R25B021	SX 1093 8555	35	84.7	A	35	1.99	A	35	0.23	A	A
CAMEL	CAMELFORD BRIDGE	R25B001	SX 1067 8383	35	91.3	A	35	1.96	A	35	0.14	A	A
CAMEL	PENCARROW	R25B022	SX 1038 8270	37	90.1	A	37	1.97	A	37	0.39	B	B
CAMEL	TRECARNE BRIDGE	R25B002	SX 0973 8053	35	90.8	A	35	1.81	A	35	0.13	A	A
CAMEL	GAM BRIDGE	R25B003	SX 0887 7785	35	92.2	A	35	1.72	A	35	0.09	A	A
CAMEL	WENFORD	R25B023	SX 0850 7518	35	90.9	A	35	1.66	A	35	0.07	A	A
CAMEL	BELOW WENFORD DRIES	R25B062	SX 0820 7415	35	86.6	A	35	3.00	B	35	0.49	B	B
CAMEL	TRESARRET BRIDGE	R25B004	SX 0888 7313	35	87.1	A	35	1.98	A	35	0.18	A	A
CAMEL	HELLANDBRIDGE	R25B005	SX 0655 7150	35	87.5	A	35	1.86	A	35	0.09	A	A
CAMEL	DUNMERE BRIDGE	R25B006	SX 0480 6781	35	90.0	A	35	1.75	A	35	0.11	A	A
CAMEL	NANSTALLON BRIDGE	R25B007	SX 0348 6741	35	87.1	A	35	1.79	A	35	0.26	B	B

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
CAMEL	GROGLEY	R25B008	SX 0153 6850	35	85.7	A	35	1.73	A	35	0.15	A	A
CAMEL	POLBROCK	R25B029	SX 0138 6949	77	86.5	A	77	1.82	A	77	0.12	A	A
CAMEL	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R25B029	SX 0138 6949	77	86.5	A	77	1.82	A	77	0.12	A	A
ISSEY BROOK	D/S MELLINGEY STREAM	R25A024	SW 9206 7181	40	83.5	A	40	4.23	C	40	0.45	B	C
ISSEY BROOK	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R25A024	SW 9206 7181	40	83.5	A	40	4.23	C	40	0.45	B	C
AMBLE	ST. KEW FORD	R25A010	SX 0211 7678	35	85.2	A	35	3.20	B	35	0.22	A	B
AMBLE	CHAPEL AMBLE BRIDGE	R25A006	SW 9988 7534	35	82.5	A	35	3.49	B	35	0.17	A	B
AMBLE	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R25A006	SW 9988 7534	35	82.5	A	35	3.49	B	35	0.17	A	B
POLMORLA STREAM	POLMORLA	R25B053	SW 9835 7158	35	87.8	A	35	2.50	A	35	0.09	A	A
POLMORLA STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R25B053	SW 9835 7158	35	87.8	A	35	2.50	A	35	0.09	A	A
ALLEN (CAMEL)	KNIGHTSMILL BRIDGE	R25D001	SX 0713 8063	34	90.1	A	34	3.78	B	34	0.30	B	B
ALLEN (CAMEL)	KELLYGREEN BRIDGE	R25D002	SX 0455 7586	34	83.8	A	34	2.04	A	34	0.08	A	A
ALLEN (CAMEL)	DINHAM'S BRIDGE	R25D003	SX 0107 7147	34	83.1	A	34	2.61	B	34	0.10	A	B
ALLEN (CAMEL)	SLADESBRIDGE	R25D003	SX 0107 7147	34	83.1	A	34	2.61	B	34	0.10	A	B
ALLEN (CAMEL)	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R25D003	SX 0107 7147	34	83.1	A	34	2.61	B	34	0.10	A	B
DELABOLE STREAM	NEWHALL GREEN	R25D009	SX 0700 8218	42	82.6	A	42	2.80	B	42	0.44	B	B
DELABOLE STREAM	ALLEN CONFLUENCE (INFERRED STRETCH)	R25D009	SX 0700 8218	42	82.6	A	42	2.80	B	42	0.44	B	B
RUTHERN	WITHIEL BRIDGE	R25B027	SW 9981 6594	35	84.3	A	35	1.68	A	35	0.04	A	A
RUTHERN	RUTHERNBRIDGE	R25B028	SX 0161 6787	35	86.9	A	35	1.53	A	35	0.05	A	A
RUTHERN	GROGLEY DOWNS BRIDGE	R25B028	SX 0161 6787	35	86.9	A	35	1.53	A	35	0.05	A	A
RUTHERN	CAMEL CONFLUENCE (INFERRED STRETCH)	R25B028	SX 0161 6787	35	86.9	A	35	1.53	A	35	0.05	A	A
LANIVET STREAM	LANIVET	R25B014	SX 0373 6425	33	87.5	A	34	1.86	A	34	0.23	A	A
LANIVET STREAM	HOOPER'S BRIDGE	R25B016	SX 0358 6728	34	86.1	A	34	2.29	A	34	0.06	A	A
LANIVET STREAM	NANSTALLON BRIDGE	R25B016	SX 0358 6728	34	86.1	A	34	2.29	A	34	0.06	A	A
LANIVET STREAM	CAMEL CONFLUENCE (INFERRED STRETCH)	R25B016	SX 0358 6728	34	86.1	A	34	2.29	A	34	0.06	A	A
ST. LAWRENCE STREAM	A.30 BRIDGE	R25B040	SX 0450 6697	35	85.2	A	35	1.84	A	35	0.08	A	A
ST. LAWRENCE STREAM	U/S ST. LAWRENCE S T W	R25B040	SX 0450 6697	35	85.2	A	35	1.84	A	35	0.08	A	A
ST. LAWRENCE STREAM	PRIOR TO RIVER CAMEL	R25B038	SX 0433 6731	35	78.5	B	35	3.84	B	35	1.61	D	D
ST. LAWRENCE STREAM	CAMEL CONFLUENCE (INFERRED STRETCH)	R25B038	SX 0433 6731	35	78.5	B	35	3.84	B	35	1.61	D	D
DUNMERE STREAM	ABOVE SCARLETT'S WELL STW (OLD)	R25B066	SX 0562 6747	42	88.7	A	43	2.38	A	43	0.14	A	A
DUNMERE STREAM	DUNMERE(D/S SCARLETTS WELL STW)	R25B026	SX 0478 6771	34	89.5	A	35	1.64	A	35	0.10	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
DUNMERE STREAM	CAMEL CONFLUENCE (INFERRED STRETCH)	R25B026	SX 0478 6771	34	89.5	A	35	1.64	A	35	0.10	A	A
CLERKENWATER	CLERKENWATER	R25B018	SX 0688 6878	34	90.4	A	34	1.41	A	34	0.03	A	A
CLERKENWATER	CAMEL CONFLUENCE (INFERRED STRETCH)	R25B018	SX 0688 6878	34	90.4	A	34	1.41	A	34	0.03	A	A
DE LANK RIVER	BRADFORD BRIDGE	R25C001	SX 1191 7543	34	84.5	A	34	1.28	A	34	0.03	A	A
DE LANK RIVER	KEYBRIDGE	R25C002	SX 0888 7390	33	85.9	A	34	1.47	A	34	0.03	A	A
DE LANK RIVER	CAMEL CONFLUENCE (INFERRED STRETCH)	R25C002	SX 0888 7390	33	85.9	A	34	1.47	A	34	0.03	A	A
STANNON STREAM	U/S STANNON CHINA CLAY	R25B060	SX 1318 8150	35	92.5	A	35	2.12	A	35	0.14	A	A
STANNON STREAM	D/S STANNON CHINA CLAY	R25B061	SX 1241 8120	35	92.5	A	35	1.39	A	35	0.12	A	A
STANNON STREAM	TRECARNE	R25B025	SX 0975 8053	35	92.1	A	35	1.52	A	35	0.08	A	A
STANNON STREAM	CAMEL CONFLUENCE (INFERRED STRETCH)	R25B025	SX 0975 8053	35	92.1	A	35	1.52	A	35	0.08	A	A
CROWDY STREAM	INFLOW, CROWDY RES. (UNMON. STRETCH)		SX 5900 5909										
CROWDY STREAM	CROWDY RESERVOIR	R25B064	SX 139 834	33	88.3	A	34	2.53	B	34	0.12	A	B
CROWDY STREAM	STANNON STREAM CONFL. (UNMON. STRETCH)		SX 5900 5909										
DAVIDSTOW STREAM	TREGOODWELL	R25B024	SX 1070 8330	35	93.9	A	35	1.65	A	35	0.06	A	A
DAVIDSTOW STREAM	CAMEL CONFLUENCE (INFERRED STRETCH)	R25B024	SX 1070 8330	35	93.9	A	35	1.65	A	35	0.06	A	A

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
VALENCY	ANDERTON FORD	R26A006	SX 1388 9130	34	88.9	A	35	3.28	B	35	0.28	B	B
VALENCY	BOSCASTLE BRIDGE	R26A003	SX 0988 9128	36	91.3	A	36	2.65	B	36	0.10	A	B
VALENCY	MEAN HIGH WATER (INFERRED STRETCH)	R26A003	SX 0988 9128	36	91.3	A	36	2.65	B	36	0.10	A	B
CRACKINGTON STREAM	CRACKINGTON HAVEN BRIDGE EAST	R26A001	SX 1433 9680	34	91.2	A	35	3.36	B	35	0.12	A	B
CRACKINGTON STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R26A001	SX 1433 9680	34	91.2	A	35	3.36	B	35	0.12	A	B
MILLOOK STREAM	MILLOOK	R26A004	SS 1848 0002	36	90.6	A	36	3.04	B	36	0.11	A	B
MILLOOK STREAM	MEAN HIGH WATER (INFERRED STRETCH)	R26A004	SS 1848 0002	36	90.6	A	36	3.04	B	36	0.11	A	B
WANSON WATER	WANSON	R26A005	SS 1965 0096	36	80.4	A	36	4.62	C	36	1.58	D	D
WANSON WATER	MEAN HIGH WATER (INFERRED STRETCH)	R26A005	SS 1965 0096	36	80.4	A	36	4.62	C	36	1.58	D	D

NATIONAL RIVERS AUTHORITY - CORNWALL AREA
1993 GENERAL QUALITY ASSESSMENT

C - determinand class : N - number of samples : %ile - percentile

RIVER	STRETCH	1993 SITE	1993 SITE NGR	DISSOLVED OXYGEN			BOD			TOTAL AMMONIA			CLASS
				N	%ile	C	N	%ile	C	N	%ile	C	
STRAT	BUSH	R27A015	SS 2316 0768	36	88.4	A	36	2.64	B	36	0.11	A	B
STRAT	STRATTON	R27A001	SS 2296 0632	36	91.3	A	36	2.71	B	36	0.09	A	B
STRAT	HELE BRIDGE	R27A002	SS 2157 0370	36	89.3	A	36	3.34	B	36	0.16	A	B
STRAT	RODDS BRIDGE	R27A003	SS 2110 0481	36	82.0	A	36	3.62	B	36	0.24	A	B
STRAT	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R27A003	SS 2110 0481	36	82.0	A	36	3.62	B	36	0.24	A	B
BUDE CANAL	RODDS BRIDGE	R27A009	SS 2110 0481	36	75.3	B	36	3.30	B	36	0.27	B	B
BUDE CANAL	FALCON BRIDGE	R27A010	SS 2071 0615	36	75.0	B	36	3.22	B	36	0.17	A	B
BUDE CANAL	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R27A010	SS 2071 0615	36	75.0	B	36	3.22	B	36	0.17	A	B
NEET	LANGFORD BRIDGE	R27A007	SS 2353 0095	36	86.5	A	36	5.06	C	36	0.27	B	C
NEET	HELE BRIDGE	R27A008	SS 2155 0335	36	86.0	A	36	3.27	B	36	0.25	A	B
NEET	STRAT CONFLUENCE (INFERRED STRETCH)	R27A008	SS 2155 0335	36	86.0	A	36	3.27	B	36	0.25	A	B
JACOB STREAM	NEWMILL BRIDGE	R27A006	SX 2158 9882	36	87.1	A	36	2.50	B	36	0.11	A	B
JACOB STREAM	NEET CONFLUENCE (INFERRED STRETCH)	R27A006	SX 2158 9882	36	87.1	A	36	2.50	B	36	0.11	A	B
SOUTH WEEK STREAM	KITSHAM BRIDGE	R27A005	SS 2312 0022	36	85.8	A	36	3.73	B	36	0.12	A	B
SOUTH WEEK STREAM	JACOB STREAM CONFL. (INFERRED STRETCH)	R27A005	SS 2312 0022	36	85.8	A	36	3.73	B	36	0.12	A	B
COOMBE VALLEY STREAM	DUCKPOOL COTTAGE	R27A011	SS 2035 1170	36	91.2	A	36	2.48	A	36	0.07	A	A
COOMBE VALLEY STREAM	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R27A011	SS 2035 1170	36	91.2	A	36	2.48	A	36	0.07	A	A
MARSLAND WATER	GOOSEHAM MILL	R27A016	SS 2314 1716	36	91.5	A	36	2.74	B	36	0.08	A	B
MARSLAND WATER	NORMAL TIDAL LIMIT (INFERRED STRETCH)	R27A016	SS 2314 1716	36	91.5	A	36	2.74	B	36	0.08	A	B